

General Information

Mission Information

Project name	210921_A_5060428_nad2011_FINAL
Processing date	2022-04-07 23:30:59
Mission date	2021-09-21 14:41:02
Mission duration	03:17:22.000
Processing mode	IN-Fusion PP-RTX

Rover Hardware Information

Product	POS AV 610 VER6 HW2.5-12
Serial number	S/N10633
IMU type	57
Receiver type	BD982
Antenna type	AV39

Project File List

Rover Data Files

File name	File type
20210921.484	POS Data
20210921.485	POS Data
20210921.486	POS Data
20210921.487	POS Data
20210921.488	POS Data
20210921.489	POS Data
20210921.490	POS Data
20210921.491	POS Data
20210921.492	POS Data
20210921.493	POS Data
20210921.494	POS Data
20210921.495	POS Data
20210921.496	POS Data
20210921.497	POS Data
20210921.498	POS Data
20210921.499	POS Data
20210921.500	POS Data
20210921.501	POS Data
20210921.502	POS Data
20210921.503	POS Data
20210921.504	POS Data
20210921.505	POS Data
20210921.506	POS Data
20210921.507	POS Data
20210921.508	POS Data
20210921.509	POS Data

Input Files

File Name	File Type
Ephm2640.21g	GLONASS Broadcast Ephemeris
Ephm2640.21n	GPS Broadcast Ephemeris

Output Files

Filename	File type
sbet_210921_A_5060428_nad2011_FINAL.out	SBET Trajectory File

Rover Data Summary

First raw data file	20210921.484		
Last raw data file	20210921.509		
Start GPS week	2176		
Start time	225661.799 (9/21/2021 2:41:01 PM)		
End time	237503.598 (9/21/2021 5:58:23 PM)		
Start of fine alignment	226001.864 (9/21/2021 2:46:41 PM)		
Available subsystems	Primary GNSS, IMU		
POS Event Input	None		
Correction data	None		
IMU Installation Lever Arms & Mounting Angles			
Reference to IMU lever arm (m)	0.000	0.000	0.000
Reference to IMU mounting angles (deg)	0.000	0.000	-90.000
Reference to Primary GNSS lever arm (m)	0.534	0.060	-1.199
Reference to Primary GNSS lever arm std dev (m)	-1.000		
Aircraft to Reference mounting angles (deg)	0.000	0.000	0.000


Rover Data QC

Raw IMU Import QC Summary


IMU data input file	imu_210921_A_5060428_nad2011_FINAL.dat
IMU data check log file	imudt_210921_A_5060428_nad2011_FINAL.log
IMU Records Processed	2367994
Termination Status	Normal
IMU Anomalies	0

Primary Observables & Satellite Data


GPS/GLONASS L1 Satellite Lock/Elevation




GPS L1 SNR




GLONASS L1 SNR




GPS/GLONASS L2 Satellite Lock/Elevation




GPS L2 SNR




GLONASS L2 SNR




BEIDOU Satellite Lock/Elevation




BEIDOU SNR



GALILEO Satellite Lock/Elevation




GALILEO SNR




— GALILEO 01 L1 BOC_1_1_DP_MBOC SNR (dB/Hz)	— GALILEO 04 L1 BOC_1_1_DP_MBOC SNR (dB/Hz)
— GALILEO 07 L1 BOC_1_1_DP_MBOC SNR (dB/Hz)	— GALILEO 09 L1 BOC_1_1_DP_MBOC SNR (dB/Hz)
— GALILEO 11 L1 BOC_1_1_DP_MBOC SNR (dB/Hz)	— GALILEO 12 L1 BOC_1_1_DP_MBOC SNR (dB/Hz)
— GALILEO 19 L1 BOC_1_1_DP_MBOC SNR (dB/Hz)	— GALILEO 24 L1 BOC_1_1_DP_MBOC SNR (dB/Hz)
— GALILEO 25 L1 BOC_1_1_DP_MBOC SNR (dB/Hz)	— GALILEO 26 L1 BOC_1_1_DP_MBOC SNR (dB/Hz)
— GALILEO 31 L1 BOC_1_1_DP_MBOC SNR (dB/Hz)	— GALILEO 33 L1 BOC_1_1_DP_MBOC SNR (dB/Hz)
— GALILEO 01 L5E5A BPSK10_PD SNR (dB/Hz)	— GALILEO 04 L5E5A BPSK10_PD SNR (dB/Hz)
— GALILEO 07 L5E5A BPSK10_PD SNR (dB/Hz)	— GALILEO 09 L5E5A BPSK10_PD SNR (dB/Hz)
— GALILEO 11 L5E5A BPSK10_PD SNR (dB/Hz)	— GALILEO 12 L5E5A BPSK10_PD SNR (dB/Hz)
— GALILEO 19 L5E5A BPSK10_PD SNR (dB/Hz)	— GALILEO 24 L5E5A BPSK10_PD SNR (dB/Hz)

Smoothed Trajectory Information

Top View




Altitude




Roll/Pitch




Heading




North/East Velocity




Down Velocity



Total Speed




Ground Speed




Body Acceleration



Total Body Acceleration




Body Angular Rate




Forward Processed Trajectory Information

Top View




Altitude




Roll/Pitch




Heading




North/East Velocity




Down Velocity



Total Speed




Ground Speed



Body Acceleration



Total Body Acceleration



Body Angular Rate




GNSS QC


GNSS QC Statistics

Statistics	Min	Max	Mean
Baseline length (km)	0.00	0.00	
Number of GPS SV	8	11	10
Number of GLONASS SV	4	7	6
Number of QZSS SV	0	0	0
Number of BEIDOU SV	0	0	0
Number of GALILEO SV	5	8	7
Total number of SV	19	26	22
PDOP	0.97	1.39	1.16
QC Solution Gaps	1.00	1.00	
Solution Type	Fixed	Float	No solution
Epoch (sec)	11827.00	0.00	2.00
Percentage	99.98	0.00	0.02


Num SVs in solution




Forward/Reverse Separation




PDOP




Estimated Position Accuracy




GPS Residuals



GLONASS Residuals



GALILEO Residuals



GNSS-Inertial Processor Configuration

Processing mode	IN-Fusion PP-RTX		
Stabilized mount	False		
Processing start time	225662.000 (9/21/2021 2:41:02 PM)		
Processing end time	237504.000 (9/21/2021 5:58:24 PM)		
Initial attitude source	Real-Time VNAV/RNAV Attitude		
IMU Sensor Context	Processing with Onboard IMU		
Reference to IMU lever arm (m)	0.000	0.000	0.000
Reference to IMU mounting angles (deg)	0.000	0.000	-90.000
Reference to Primary GNSS lever arm (m)	0.527	0.043	-1.175
Reference to Primary GNSS lever arm std dev (m)	0.030	0.030	0.030
Aircraft to Reference mounting angles (deg)	0.000	0.000	0.000


Calibrated Installation Parameters

Reference-Primary GNSS Lever Arm (m)


Reference-Primary GNSS Lever Arm Automatic Calibration Results

Original Reference to Primary GNSS lever arm (m)	0.534	0.060	-1.199
Iteration 1 Reference to Primary GNSS lever arm (m)	0.527	0.044	-1.176
Iteration 2 Reference to Primary GNSS lever arm (m)	0.527	0.043	-1.175
Primary GNSS Lever Arm In use	Iteration 2		


X Reference-Primary GNSS Lever Arm (m)




Y Reference-Primary GNSS Lever Arm (m)



Z Reference-Primary GNSS Lever Arm (m)




Reference-Primary GNSS Lever Arm Figure of Merit




IN-Fusion QC

Forward Processed Estimated Errors, Reference Frame


Accelerometer Bias (micro-g)




X Accelerometer Bias (micro-g)



Y Accelerometer Bias (micro-g)



Z Accelerometer Bias (micro-g)




Accelerometer Scale Error (ppm)




X Accelerometer Scale Error (ppm)



Y Accelerometer Scale Error (ppm)




Z Accelerometer Scale Error (ppm)




Gyro Bias (deg/h)




X Gyro Bias (deg/h)




Y Gyro Bias (deg/h)




Z Gyro Bias (deg/h)




Gyro Scale Error (ppm)




X Gyro Scale Error (ppm)



Y Gyro Scale Error (ppm)




Z Gyro Scale Error (ppm)




Smoothed Performance Metrics


Position Error RMS (m)




Velocity Error RMS (m/s)



Roll/Pitch Error RMS (arc-min)




Heading Error RMS (arc-min)




Forward Processed Performance Metrics


Position Error RMS (m)




Velocity Error RMS (m/s)



Roll/Pitch Error RMS (arc-min)




Heading Error RMS (arc-min)




Forward Processed Solution Status

Processing Mode



0 = Fixed NL, 1 = Fixed WL, 2 = Float, 3 = DGNSS, 4 = RTCM, 5 = IAPPP, 6 = C/A, 7 = GNSS Nav, 8 = DR

Number of Satellites



— Number of GPS Satellites
 — Number of GLONASS Satellites
 — Number of QZSS Satellites
— Number of BEIDOU Satellites
 — Number of GALILEO Satellites

Baseline Length

