

General Information

Mission Information

Project name	211111_B_5060484_nad2011_FINAL
Processing date	2021-11-12 15:40:33
Mission date	2021-11-11 22:18:48
Mission duration	03:26:33.000
Processing mode	IN-Fusion PP-RTX

Rover Hardware Information

Product	POS AV 610 VER6 HW2.5-12
Serial number	S/N12118
IMU type	57
Receiver type	BD982
Antenna type	AV39

Project File List

Rover Data Files

File name	File type
211111b.042	POS Data
211111b.043	POS Data
211111b.044	POS Data
211111b.045	POS Data
211111b.046	POS Data
211111b.047	POS Data
211111b.048	POS Data
211111b.049	POS Data
211111b.050	POS Data
211111b.051	POS Data
211111b.052	POS Data
211111b.053	POS Data
211111b.054	POS Data
211111b.055	POS Data
211111b.056	POS Data
211111b.057	POS Data
211111b.058	POS Data
211111b.059	POS Data
211111b.060	POS Data
211111b.061	POS Data
211111b.062	POS Data
211111b.063	POS Data
211111b.064	POS Data
211111b.065	POS Data
211111b.066	POS Data
211111b.067	POS Data
211111b.068	POS Data

Input Files

File Name	File Type
Ephm3150.21g	GLONASS Broadcast Ephemeris
Ephm3150.21n	GPS Broadcast Ephemeris
Ephm3160.21g	GLONASS Broadcast Ephemeris
Ephm3160.21n	GPS Broadcast Ephemeris

Output Files

Filename	File type
sbet_211111_B_5060484_nad2011_FINAL.out	SBET Trajectory File
sbet_211111_B_5060484_nad2011_FINAL.out	Custom Smoothed BET Export Output

Rover Data Summary

First raw data file	211111b.042		
Last raw data file	211111b.068		
Start GPS week	2183		
Start time	425927.259 (11/11/2021 22:18:47)		
End time	438321.613 (11/12/2021 01:45:21)		
Start of fine alignment	426122.459 (11/11/2021 22:22:02)		
Available subsystems	Primary GNSS, IMU		
POS Event Input	None		
Correction data	None		
IMU Installation Lever Arms & Mounting Angles			
Reference to IMU lever arm (m)	0.000	0.000	0.000
Reference to IMU mounting angles (deg)	0.000	0.000	180.000
Reference to Primary GNSS lever arm (m)	0.683	-0.546	-1.101
Reference to Primary GNSS lever arm std dev (m)	-1.000		
Aircraft to Reference mounting angles (deg)	0.000	0.000	0.000


Rover Data QC

Raw IMU Import QC Summary


IMU data input file	imu_211111_B_5060484_nad2011_FINAL.dat
IMU data check log file	imudt_211111_B_5060484_nad2011_FINAL.log
IMU Records Processed	2478523
Termination Status	Normal
IMU Anomalies	0

Primary Observables & Satellite Data


GPS/GLONASS L1 Satellite Lock/Elevation




GPS L1 SNR




GLONASS L1 SNR




GPS/GLONASS L2 Satellite Lock/Elevation




GPS L2 SNR




GLONASS L2 SNR




BEIDOU Satellite Lock/Elevation




BEIDOU SNR



GALILEO Satellite Lock/Elevation




GALILEO SNR




— GALILEO 01 L1 BOC_1_1_DP_MBOC SNR (dB/Hz)	— GALILEO 04 L1 BOC_1_1_DP_MBOC SNR (dB/Hz)
— GALILEO 05 L1 BOC_1_1_DP_MBOC SNR (dB/Hz)	— GALILEO 09 L1 BOC_1_1_DP_MBOC SNR (dB/Hz)
— GALILEO 11 L1 BOC_1_1_DP_MBOC SNR (dB/Hz)	— GALILEO 19 L1 BOC_1_1_DP_MBOC SNR (dB/Hz)
— GALILEO 21 L1 BOC_1_1_DP_MBOC SNR (dB/Hz)	— GALILEO 24 L1 BOC_1_1_DP_MBOC SNR (dB/Hz)
— GALILEO 31 L1 BOC_1_1_DP_MBOC SNR (dB/Hz)	— GALILEO 36 L1 BOC_1_1_DP_MBOC SNR (dB/Hz)
— GALILEO 01 L5E5A BPSK10_PD SNR (dB/Hz)	— GALILEO 04 L5E5A BPSK10_PD SNR (dB/Hz)
— GALILEO 05 L5E5A BPSK10_PD SNR (dB/Hz)	— GALILEO 09 L5E5A BPSK10_PD SNR (dB/Hz)
— GALILEO 11 L5E5A BPSK10_PD SNR (dB/Hz)	— GALILEO 19 L5E5A BPSK10_PD SNR (dB/Hz)
— GALILEO 21 L5E5A BPSK10_PD SNR (dB/Hz)	— GALILEO 24 L5E5A BPSK10_PD SNR (dB/Hz)
— GALILEO 31 L5E5A BPSK10_PD SNR (dB/Hz)	— GALILEO 36 L5E5A BPSK10_PD SNR (dB/Hz)

Smoothed Trajectory Information


Top View




Altitude




Roll/Pitch




Heading




North/East Velocity




Down Velocity




Total Speed




Ground Speed



Body Acceleration



Total Body Acceleration




Body Angular Rate




Forward Processed Trajectory Information


Top View




Altitude




Roll/Pitch




Heading




North/East Velocity




Down Velocity




Total Speed




Ground Speed



Body Acceleration



Total Body Acceleration



Body Angular Rate




GNSS QC

GNSS QC Statistics

Statistics	Min	Max	Mean
Baseline length (km)	0.00	0.00	
Number of GPS SV	7	10	8
Number of GLONASS SV	3	8	5
Number of QZSS SV	0	0	0
Number of BEIDOU SV	0	0	0
Number of GALILEO SV	5	7	6
Total number of SV	16	23	19
PDOP	0.98	1.61	1.23
QC Solution Gaps	0.00	0.00	
Solution Type	Fixed	Float	No solution
Epoch (sec)	12339.00	0.00	0.00
Percentage	100.00	0.00	0.00


Num SVs in solution




Forward/Reverse Separation




PDOP




Estimated Position Accuracy




GPS Residuals



GLONASS Residuals



GALILEO Residuals



GNSS-Inertial Processor Configuration

Processing mode	IN-Fusion PP-RTX		
Stabilized mount	False		
Processing start time	425928.000 (11/11/2021 22:18:48)		
Processing end time	438321.000 (11/12/2021 01:45:21)		
Initial attitude source	Real-Time VNAV/RNAV Attitude		
IMU Sensor Context	Processing with Onboard IMU		
Reference to IMU lever arm (m)	0.000	0.000	0.000
Reference to IMU mounting angles (deg)	0.000	0.000	180.000
Reference to Primary GNSS lever arm (m)	0.390	-0.421	-1.088
Reference to Primary GNSS lever arm std dev (m)	0.030	0.030	0.030
Aircraft to Reference mounting angles (deg)	0.000	0.000	0.000


Calibrated Installation Parameters

Reference-Primary GNSS Lever Arm (m)


Reference-Primary GNSS Lever Arm Automatic Calibration Results

Original Reference to Primary GNSS lever arm (m)	0.382	-0.427	-1.083
Iteration 1 Reference to Primary GNSS lever arm (m)	0.390	-0.421	-1.088
Iteration 2 Reference to Primary GNSS lever arm (m)	0.390	-0.421	-1.088
Primary GNSS Lever Arm In use	Iteration 2		


X Reference-Primary GNSS Lever Arm (m)




Y Reference-Primary GNSS Lever Arm (m)



Z Reference-Primary GNSS Lever Arm (m)




Reference-Primary GNSS Lever Arm Figure of Merit




IN-Fusion QC

Forward Processed Estimated Errors, Reference Frame


Accelerometer Bias (micro-g)




X Accelerometer Bias (micro-g)



Y Accelerometer Bias (micro-g)




Z Accelerometer Bias (micro-g)




Accelerometer Scale Error (ppm)




X Accelerometer Scale Error (ppm)




Y Accelerometer Scale Error (ppm)




Z Accelerometer Scale Error (ppm)




Gyro Bias (deg/h)




X Gyro Bias (deg/h)




Y Gyro Bias (deg/h)




Z Gyro Bias (deg/h)




Gyro Scale Error (ppm)




X Gyro Scale Error (ppm)



Y Gyro Scale Error (ppm)




Z Gyro Scale Error (ppm)




Smoothed Performance Metrics


Position Error RMS (m)




Velocity Error RMS (m/s)



Roll/Pitch Error RMS (arc-min)




Heading Error RMS (arc-min)




Forward Processed Performance Metrics


Position Error RMS (m)




Velocity Error RMS (m/s)



Roll/Pitch Error RMS (arc-min)




Heading Error RMS (arc-min)




Forward Processed Solution Status


Processing Mode



Number of Satellites



Baseline Length



Export Summary

Export file	sbet_211111_B_5060484_nad2011_FINAL.out		
Export format	Custom Smoothed BET		
Solution in use	Post-processed		
Output rate	Specified Distance Interval		
Distance Interval (m)	10.000		
Reference to Output lever arm (m)	0.000	0.000	0.000
Reference mounting angles (deg)	0.000	0.000	0.000
Output units (Coordinate / Lat & Lon)	Meter	Deg Decimal	
Export start time	426124.005 (11/11/2021 22:22:04)		
Export end time	438321.003 (11/12/2021 01:45:21)		
Height option	Ellipsoid Height		
WGS84 height flag	False		
Grid	Universal Transverse Mercator		
Zone	UTM North 11 (120W to 114W)		
Datum	NAD83 (2011)		
Ellipsoid	GRS 1980		
Local Transformation	NONE		
Target Epoch	2010		