

## General Information

### Mission Information

Project name	211112_A_5060484_nad2011_FINAL
Processing date	2021-11-15 12:26:09
Mission date	2021-11-12 16:51:45
Mission duration	04:30:26.000
Processing mode	IN-Fusion PP-RTX

### Rover Hardware Information

Product	POS AV 610 VER6 HW2.5-12
Serial number	S/N12118
IMU type	57
Receiver type	BD982
Antenna type	AV39

## Project File List

### Rover Data Files

File name	File type
211112a.069	POS Data
211112a.070	POS Data
211112a.071	POS Data
211112a.072	POS Data
211112a.073	POS Data
211112a.074	POS Data
211112a.075	POS Data
211112a.076	POS Data
211112a.077	POS Data
211112a.078	POS Data
211112a.079	POS Data
211112a.080	POS Data
211112a.081	POS Data
211112a.082	POS Data
211112a.083	POS Data
211112a.084	POS Data
211112a.085	POS Data
211112a.086	POS Data
211112a.087	POS Data
211112a.088	POS Data
211112a.089	POS Data
211112a.090	POS Data
211112a.091	POS Data
211112a.092	POS Data
211112a.093	POS Data
211112a.094	POS Data
211112a.095	POS Data
211112a.096	POS Data
211112a.097	POS Data
211112a.098	POS Data
211112a.099	POS Data
211112a.100	POS Data
211112a.101	POS Data
211112a.102	POS Data
211112a.103	POS Data
211112a.104	POS Data
211112a.105	POS Data

### Input Files

File Name	File Type
Ephm3160.21g	GLONASS Broadcast Ephemeris
Ephm3160.21n	GPS Broadcast Ephemeris

### Output Files

Filename	File type
sbet_211112_A_5060484_nad2011_FINAL.out	SBET Trajectory File

## Rover Data Summary

First raw data file	211112a.069		
Last raw data file	211112a.105		
Start GPS week	2183		
Start time	492704.585 (11/12/2021 4:51:44 PM)		
End time	508931.644 (11/12/2021 9:22:11 PM)		
Start of fine alignment	492919.078 (11/12/2021 4:55:19 PM)		
Available subsystems	Primary GNSS, IMU		
POS Event Input	None		
Correction data	None		
<b>IMU Installation Lever Arms &amp; Mounting Angles</b>			
Reference to IMU lever arm (m)	0.000	0.000	0.000
Reference to IMU mounting angles (deg)	0.000	0.000	180.000
Reference to Primary GNSS lever arm (m)	0.683	-0.546	-1.101
Reference to Primary GNSS lever arm std dev (m)	-1.000		
Aircraft to Reference mounting angles (deg)	0.000	0.000	0.000


## Rover Data QC

### Raw IMU Import QC Summary


IMU data input file	imu_211112_A_5060484_nad2011_FINAL.dat
IMU data check log file	imudt_211112_A_5060484_nad2011_FINAL.log
IMU Records Processed	3244843
Termination Status	Normal
IMU Anomalies	0

## Primary Observables & Satellite Data

### GPS/GLONASS L1 Satellite Lock/Elevation




### GPS L1 SNR




- |                           |                           |                           |                           |
|---------------------------|---------------------------|---------------------------|---------------------------|
| GPS PRN 01 L1 SNR (dB/Hz) | GPS PRN 03 L1 SNR (dB/Hz) | GPS PRN 04 L1 SNR (dB/Hz) | GPS PRN 06 L1 SNR (dB/Hz) |
| GPS PRN 08 L1 SNR (dB/Hz) | GPS PRN 09 L1 SNR (dB/Hz) | GPS PRN 10 L1 SNR (dB/Hz) | GPS PRN 16 L1 SNR (dB/Hz) |
| GPS PRN 18 L1 SNR (dB/Hz) | GPS PRN 21 L1 SNR (dB/Hz) | GPS PRN 22 L1 SNR (dB/Hz) | GPS PRN 23 L1 SNR (dB/Hz) |
| GPS PRN 24 L1 SNR (dB/Hz) | GPS PRN 25 L1 SNR (dB/Hz) | GPS PRN 26 L1 SNR (dB/Hz) | GPS PRN 27 L1 SNR (dB/Hz) |
| GPS PRN 31 L1 SNR (dB/Hz) | GPS PRN 32 L1 SNR (dB/Hz) |                           |                           |

### GLONASS L1 SNR




- |                           |                           |                           |
|---------------------------|---------------------------|---------------------------|
| GLONASS 01 L1 SNR (dB/Hz) | GLONASS 02 L1 SNR (dB/Hz) | GLONASS 06 L1 SNR (dB/Hz) |
| GLONASS 07 L1 SNR (dB/Hz) | GLONASS 08 L1 SNR (dB/Hz) | GLONASS 09 L1 SNR (dB/Hz) |
| GLONASS 10 L1 SNR (dB/Hz) | GLONASS 12 L1 SNR (dB/Hz) | GLONASS 13 L1 SNR (dB/Hz) |
| GLONASS 16 L1 SNR (dB/Hz) | GLONASS 17 L1 SNR (dB/Hz) | GLONASS 21 L1 SNR (dB/Hz) |
| GLONASS 22 L1 SNR (dB/Hz) | GLONASS 23 L1 SNR (dB/Hz) | GLONASS 24 L1 SNR (dB/Hz) |



### GPS/GLONASS L2 Satellite Lock/Elevation




### GPS L2 SNR




### GLONASS L2 SNR




### BEIDOU Satellite Lock/Elevation



### BEIDOU SNR




### GALILEO Satellite Lock/Elevation





## GALILEO SNR




— GALILEO 02 L1 BOC_1_1_DP_MBOC SNR (dB/Hz)	— GALILEO 03 L1 BOC_1_1_DP_MBOC SNR (dB/Hz)
— GALILEO 07 L1 BOC_1_1_DP_MBOC SNR (dB/Hz)	— GALILEO 08 L1 BOC_1_1_DP_MBOC SNR (dB/Hz)
— GALILEO 13 L1 BOC_1_1_DP_MBOC SNR (dB/Hz)	— GALILEO 15 L1 BOC_1_1_DP_MBOC SNR (dB/Hz)
— GALILEO 25 L1 BOC_1_1_DP_MBOC SNR (dB/Hz)	— GALILEO 26 L1 BOC_1_1_DP_MBOC SNR (dB/Hz)
— GALILEO 27 L1 BOC_1_1_DP_MBOC SNR (dB/Hz)	— GALILEO 30 L1 BOC_1_1_DP_MBOC SNR (dB/Hz)
— GALILEO 33 L1 BOC_1_1_DP_MBOC SNR (dB/Hz)	— GALILEO 02 L5E5A BPSK10_PD SNR (dB/Hz)
— GALILEO 03 L5E5A BPSK10_PD SNR (dB/Hz)	— GALILEO 07 L5E5A BPSK10_PD SNR (dB/Hz)
— GALILEO 08 L5E5A BPSK10_PD SNR (dB/Hz)	— GALILEO 13 L5E5A BPSK10_PD SNR (dB/Hz)
— GALILEO 15 L5E5A BPSK10_PD SNR (dB/Hz)	— GALILEO 25 L5E5A BPSK10_PD SNR (dB/Hz)
— GALILEO 26 L5E5A BPSK10_PD SNR (dB/Hz)	— GALILEO 27 L5E5A BPSK10_PD SNR (dB/Hz)

## Smoothed Trajectory Information


### Top View




### Altitude




## Roll/Pitch




## Heading




### North/East Velocity




### Down Velocity



## Total Speed




## Ground Speed




## Body Acceleration



## Total Body Acceleration




## Body Angular Rate




## Forward Processed Trajectory Information

### Top View




### Altitude







## Roll/Pitch




## Heading




## North/East Velocity




## Down Velocity



## Total Speed




## Ground Speed




## Body Acceleration



## Total Body Acceleration



## Body Angular Rate




## GNSS QC


### GNSS QC Statistics

Statistics	Min	Max	Mean
Baseline length (km)	0.00	0.00	
Number of GPS SV	2	9	8
Number of GLONASS SV	0	7	5
Number of QZSS SV	0	0	0
Number of BEIDOU SV	0	0	0
Number of GALILEO SV	2	8	7
Total number of SV	6	23	20
PDOP	1.02	4.96	1.26
QC Solution Gaps	0.00	0.00	
Solution Type	Fixed	Float	No solution
Epoch (sec)	16208.00	0.00	0.00
Percentage	100.00	0.00	0.00


### Num SVs in solution




## Forward/Reverse Separation




## PDOP



## Estimated Position Accuracy




## GPS Residuals






## GLONASS Residuals



- |                         |                         |                         |                         |
|-------------------------|-------------------------|-------------------------|-------------------------|
| GLONASS 01 Residual (m) | GLONASS 02 Residual (m) | GLONASS 06 Residual (m) | GLONASS 07 Residual (m) |
| GLONASS 08 Residual (m) | GLONASS 09 Residual (m) | GLONASS 10 Residual (m) | GLONASS 12 Residual (m) |
| GLONASS 13 Residual (m) | GLONASS 16 Residual (m) | GLONASS 17 Residual (m) | GLONASS 21 Residual (m) |
| GLONASS 22 Residual (m) | GLONASS 23 Residual (m) | GLONASS 24 Residual (m) |                         |

## GALILEO Residuals



- |                         |                         |                         |                         |
|-------------------------|-------------------------|-------------------------|-------------------------|
| GALILEO 02 Residual (m) | GALILEO 03 Residual (m) | GALILEO 07 Residual (m) | GALILEO 08 Residual (m) |
| GALILEO 13 Residual (m) | GALILEO 15 Residual (m) | GALILEO 26 Residual (m) | GALILEO 27 Residual (m) |
| GALILEO 30 Residual (m) | GALILEO 33 Residual (m) |                         |                         |

## GNSS-Inertial Processor Configuration

Processing mode	IN-Fusion PP-RTX		
Stabilized mount	False		
Processing start time	492705.000 (11/12/2021 4:51:45 PM)		
Processing end time	508931.000 (11/12/2021 9:22:11 PM)		
Initial attitude source	Real-Time VNAV/RNAV Attitude		
IMU Sensor Context	Processing with Onboard IMU		
Reference to IMU lever arm (m)	0.000	0.000	0.000
Reference to IMU mounting angles (deg)	0.000	0.000	180.000
Reference to Primary GNSS lever arm (m)	0.383	-0.434	-1.089
Reference to Primary GNSS lever arm std dev (m)	0.030	0.030	0.030
Aircraft to Reference mounting angles (deg)	0.000	0.000	0.000


## Calibrated Installation Parameters

### Reference-Primary GNSS Lever Arm (m)


#### Reference-Primary GNSS Lever Arm Automatic Calibration Results

Original Reference to Primary GNSS lever arm (m)	0.382	-0.427	-1.083
Iteration 1 Reference to Primary GNSS lever arm (m)	0.383	-0.433	-1.090
Iteration 2 Reference to Primary GNSS lever arm (m)	0.383	-0.434	-1.089
Primary GNSS Lever Arm In use	Iteration 2		


### X Reference-Primary GNSS Lever Arm (m)




### Y Reference-Primary GNSS Lever Arm (m)



### Z Reference-Primary GNSS Lever Arm (m)




### Reference-Primary GNSS Lever Arm Figure of Merit




## IN-Fusion QC

### Forward Processed Estimated Errors, Reference Frame


#### Accelerometer Bias (micro-g)




#### X Accelerometer Bias (micro-g)



### Y Accelerometer Bias (micro-g)



### Z Accelerometer Bias (micro-g)



### Accelerometer Scale Error (ppm)




### X Accelerometer Scale Error (ppm)







### Y Accelerometer Scale Error (ppm)



### Z Accelerometer Scale Error (ppm)




### Gyro Bias (deg/h)




### X Gyro Bias (deg/h)




### Y Gyro Bias (deg/h)




### Z Gyro Bias (deg/h)




### Gyro Scale Error (ppm)




### X Gyro Scale Error (ppm)



### Y Gyro Scale Error (ppm)



### Z Gyro Scale Error (ppm)




## Smoothed Performance Metrics


### Position Error RMS (m)




### Velocity Error RMS (m/s)



### Roll/Pitch Error RMS (arc-min)



### Heading Error RMS (arc-min)



## Forward Processed Performance Metrics

### Position Error RMS (m)




### Velocity Error RMS (m/s)






### Roll/Pitch Error RMS (arc-min)




### Heading Error RMS (arc-min)




## Forward Processed Solution Status

### Processing Mode



0 = Fixed NL, 1 = Fixed WL, 2 = Float, 3 = DGNSS, 4 = RTCM, 5 = IAPPP, 6 = C/A, 7 = GNSS Nav, 8 = DR

### Number of Satellites



— Number of GPS Satellites   
 — Number of GLONASS Satellites   
 — Number of QZSS Satellites  
— Number of BEIDOU Satellites   
 — Number of GALILEO Satellites

## Baseline Length

