

General Information

Mission Information

Project name	220507_B_5060495_nad2011_FINAL
Processing date	2022-05-20 19:15:29
Mission date	2022-05-07 15:55:48
Mission duration	04:09:52.000
Processing mode	IN-Fusion PP-RTX

Rover Hardware Information

Product	POS AV 610 VER6 HW2.5-12
Serial number	S/N13003
IMU type	57
Receiver type	BD982
Antenna type	AV39

Project File List

Rover Data Files

File name	File type
survey2.pos	POS Data

Input Files

File Name	File Type
Ephm1270.22g	GLONASS Broadcast Ephemeris
Ephm1270.22n	GPS Broadcast Ephemeris
igs22085.sp3	GPS Precise Ephemeris
igs22086.sp3	GPS Precise Ephemeris

Output Files

Filename	File type
sbet_220507_B_5060495_nad2011_FINAL.out	SBET Trajectory File

Rover Data Summary

First raw data file	survey2.pos		
Last raw data file	survey2.pos		
Start GPS week	2208		
Start time	575764.807 (05/07/2022 15:56:04)		
End time	590740.596 (05/07/2022 20:05:40)		
Start of fine alignment	576140.720 (05/07/2022 16:02:20)		
Available subsystems	Primary GNSS, IMU		
POS Event Input	None		
Correction data	None		
IMU Installation Lever Arms & Mounting Angles			
Reference to IMU lever arm (m)	0.000	0.000	0.000
Reference to IMU mounting angles (deg)	0.000	0.000	180.000
Reference to Primary GNSS lever arm (m)	-0.399	-0.382	-1.125
Reference to Primary GNSS lever arm std dev (m)	-1.000		
Aircraft to Reference mounting angles (deg)	0.000	0.000	0.000


Rover Data QC

Raw IMU Import QC Summary


IMU data input file	imu_Mission 1.dat
IMU data check log file	imudt_220507_B_5060495_nad2011_FINAL.log
IMU Records Processed	2998023
Termination Status	Warnings
IMU Anomalies	1
IMU Failure Messages	
575759.641 : WARNING : Gap of 575747.6498 seconds in CHECKDT input data	

Primary Observables & Satellite Data


GPS/GLONASS L1 Satellite Lock/Elevation




GPS L1 SNR




GLONASS L1 SNR




GPS/GLONASS L2 Satellite Lock/Elevation



GPS L2 SNR




GLONASS L2 SNR




- GLONASS 01 L2 SNR (dB/Hz)
- GLONASS 02 L2 SNR (dB/Hz)
- GLONASS 03 L2 SNR (dB/Hz)
- GLONASS 09 L2 SNR (dB/Hz)
- GLONASS 10 L2 SNR (dB/Hz)
- GLONASS 13 L2 SNR (dB/Hz)
- GLONASS 14 L2 SNR (dB/Hz)
- GLONASS 15 L2 SNR (dB/Hz)
- GLONASS 17 L2 SNR (dB/Hz)
- GLONASS 18 L2 SNR (dB/Hz)
- GLONASS 19 L2 SNR (dB/Hz)
- GLONASS 20 L2 SNR (dB/Hz)
- GLONASS 23 L2 SNR (dB/Hz)
- GLONASS 24 L2 SNR (dB/Hz)

BEIDOU Satellite Lock/Elevation




- 0-10 deg
- 10-15 deg
- 15-20 deg
- 20-30 deg
- 30+ deg
- No ephemeris
- + Cycle slip



BEIDOU SNR



GALILEO Satellite Lock/Elevation




GALILEO SNR




Smoothed Trajectory Information


Top View




Altitude




Roll/Pitch




Heading




North/East Velocity




Down Velocity




Total Speed




Ground Speed




Body Acceleration



Total Body Acceleration




Body Angular Rate




Forward Processed Trajectory Information


Top View




Altitude




Roll/Pitch




Heading




North/East Velocity




Down Velocity




Total Speed




Ground Speed




Body Acceleration



Total Body Acceleration



Body Angular Rate




GNSS QC


GNSS QC Statistics

Statistics	Min	Max	Mean
Baseline length (km)	0.00	0.00	
Number of GPS SV	7	10	8
Number of GLONASS SV	0	7	5
Number of QZSS SV	0	0	0
Number of BEIDOU SV	0	0	0
Number of GALILEO SV	2	7	6
Total number of SV	10	22	19
PDOP	1.02	2.96	1.21
QC Solution Gaps	0.00	0.00	
Solution Type	Fixed	Float	No solution
Epoch (sec)	14956.00	0.00	0.00
Percentage	100.00	0.00	0.00


Num SVs in solution




Forward/Reverse Separation




PDOP




Estimated Position Accuracy



GPS Residuals




GLONASS Residuals



- | | | | |
|-------------------------|-------------------------|-------------------------|-------------------------|
| GLONASS 02 Residual (m) | GLONASS 03 Residual (m) | GLONASS 09 Residual (m) | GLONASS 10 Residual (m) |
| GLONASS 13 Residual (m) | GLONASS 14 Residual (m) | GLONASS 15 Residual (m) | GLONASS 17 Residual (m) |
| GLONASS 18 Residual (m) | GLONASS 19 Residual (m) | GLONASS 23 Residual (m) | GLONASS 24 Residual (m) |

GALILEO Residuals



- | | | | |
|-------------------------|-------------------------|-------------------------|-------------------------|
| GALILEO 05 Residual (m) | GALILEO 09 Residual (m) | GALILEO 11 Residual (m) | GALILEO 12 Residual (m) |
| GALILEO 24 Residual (m) | GALILEO 25 Residual (m) | GALILEO 26 Residual (m) | GALILEO 31 Residual (m) |
| GALILEO 33 Residual (m) | | | |

GNSS-Inertial Processor Configuration

Processing mode	IN-Fusion PP-RTX		
Stabilized mount	False		
Processing start time	575748.000 (05/07/2022 15:55:48)		
Processing end time	590740.000 (05/07/2022 20:05:40)		
Initial attitude source	Real-Time VNAV/RNAV Attitude		
IMU Sensor Context	Processing with Onboard IMU		
Reference to IMU lever arm (m)	0.000	0.000	0.000
Reference to IMU mounting angles (deg)	0.000	0.000	180.000
Reference to Primary GNSS lever arm (m)	0.375	-0.092	-1.072
Reference to Primary GNSS lever arm std dev (m)	0.030	0.030	0.030
Aircraft to Reference mounting angles (deg)	0.000	0.000	0.000


Calibrated Installation Parameters

Reference-Primary GNSS Lever Arm (m)


Reference-Primary GNSS Lever Arm Automatic Calibration Results

Original Reference to Primary GNSS lever arm (m)	-0.399	-0.382	-1.125
Iteration 1 Reference to Primary GNSS lever arm (m)	0.354	-0.124	-1.074
Iteration 2 Reference to Primary GNSS lever arm (m)	0.375	-0.092	-1.072
Primary GNSS Lever Arm In use	Iteration 2		


X Reference-Primary GNSS Lever Arm (m)




Y Reference-Primary GNSS Lever Arm (m)



Z Reference-Primary GNSS Lever Arm (m)




Reference-Primary GNSS Lever Arm Figure of Merit




IN-Fusion QC

Forward Processed Estimated Errors, Reference Frame


Accelerometer Bias (micro-g)




X Accelerometer Bias (micro-g)



Y Accelerometer Bias (micro-g)




Z Accelerometer Bias (micro-g)




Accelerometer Scale Error (ppm)




X Accelerometer Scale Error (ppm)




Y Accelerometer Scale Error (ppm)




Z Accelerometer Scale Error (ppm)




Gyro Bias (deg/h)




X Gyro Bias (deg/h)




Y Gyro Bias (deg/h)




Z Gyro Bias (deg/h)




Gyro Scale Error (ppm)




X Gyro Scale Error (ppm)



Y Gyro Scale Error (ppm)




Z Gyro Scale Error (ppm)




Smoothed Performance Metrics


Position Error RMS (m)




Velocity Error RMS (m/s)



Roll/Pitch Error RMS (arc-min)




Heading Error RMS (arc-min)




Forward Processed Performance Metrics


Position Error RMS (m)




Velocity Error RMS (m/s)



Roll/Pitch Error RMS (arc-min)




Heading Error RMS (arc-min)




Forward Processed Solution Status

Processing Mode



0 = Fixed NL, 1 = Fixed WL, 2 = Float, 3 = DGNSS, 4 = RTCM, 5 = IAPPP, 6 = C/A, 7 = GNSS Nav, 8 = DR

Number of Satellites



— Number of GPS Satellites
 — Number of GLONASS Satellites
 — Number of QZSS Satellites
— Number of BEIDOU Satellites
 — Number of GALILEO Satellites

Baseline Length

