

General Information

Mission Information

Project name	14286
Processing date	2022-06-16 09:03:58
Mission date	2022-06-15 16:25:45
Mission duration	02:03:32.470
Processing mode	IN-Fusion PP-RTX

Rover Hardware Information

Product	POS AV 610 VER6 HW2.5-12
Serial number	S/N13003
IMU type	57
Receiver type	BD982
Antenna type	AV39

Project File List

Rover Data Files

File name	File type
20220615.036	POS Data
20220615.037	POS Data
20220615.038	POS Data
20220615.039	POS Data
20220615.040	POS Data
20220615.041	POS Data
20220615.042	POS Data
20220615.043	POS Data
20220615.044	POS Data
20220615.045	POS Data
20220615.046	POS Data
20220615.047	POS Data
20220615.048	POS Data
20220615.049	POS Data
20220615.050	POS Data
20220615.051	POS Data
20220615.052	POS Data

Input Files

File Name	File Type
Ephm1660.22g	GLONASS Broadcast Ephemeris
Ephm1660.22n	GPS Broadcast Ephemeris

Output Files

Filename	File type
sbet_14286.out	SBET Trajectory File
eo_14286.txt	ZI Imaging POSEO Output
sbet_14286_NAD83(2011).out	Custom Smoothed BET Export Output

Rover Data Summary

First raw data file	20220615.036		
Last raw data file	20220615.052		
Start GPS week	2214		
Start time	318344.877 (06/15/2022 16:25:44)		
End time	325757.347 (06/15/2022 18:29:17)		
Start of fine alignment	318772.905 (06/15/2022 16:32:52)		
Available subsystems	Primary GNSS, IMU		
POS Event Input	None		
Correction data	None		
IMU Installation Lever Arms & Mounting Angles			
Reference to IMU lever arm (m)	0.000	0.000	0.000
Reference to IMU mounting angles (deg)	0.000	0.000	180.000
Reference to Primary GNSS lever arm (m)	-0.399	-0.382	-1.125
Reference to Primary GNSS lever arm std dev (m)	-1.000		
Aircraft to Reference mounting angles (deg)	0.000	0.000	0.000


Rover Data QC

Raw IMU Import QC Summary


IMU data input file	imu_14286.dat
IMU data check log file	imudt_14286.log
IMU Records Processed	1484776
Termination Status	Normal
IMU Anomalies	0

Primary Observables & Satellite Data

GPS/GLONASS L1 Satellite Lock/Elevation




GPS L1 SNR




- | | | | |
|---------------------------|---------------------------|---------------------------|---------------------------|
| GPS PRN 02 L1 SNR (dB/Hz) | GPS PRN 03 L1 SNR (dB/Hz) | GPS PRN 05 L1 SNR (dB/Hz) | GPS PRN 06 L1 SNR (dB/Hz) |
| GPS PRN 09 L1 SNR (dB/Hz) | GPS PRN 11 L1 SNR (dB/Hz) | GPS PRN 12 L1 SNR (dB/Hz) | GPS PRN 14 L1 SNR (dB/Hz) |
| GPS PRN 17 L1 SNR (dB/Hz) | GPS PRN 19 L1 SNR (dB/Hz) | GPS PRN 20 L1 SNR (dB/Hz) | GPS PRN 24 L1 SNR (dB/Hz) |
| GPS PRN 25 L1 SNR (dB/Hz) | GPS PRN 29 L1 SNR (dB/Hz) | | |

GLONASS L1 SNR




- | | | |
|---------------------------|---------------------------|---------------------------|
| GLONASS 01 L1 SNR (dB/Hz) | GLONASS 02 L1 SNR (dB/Hz) | GLONASS 03 L1 SNR (dB/Hz) |
| GLONASS 08 L1 SNR (dB/Hz) | GLONASS 09 L1 SNR (dB/Hz) | GLONASS 14 L1 SNR (dB/Hz) |
| GLONASS 15 L1 SNR (dB/Hz) | GLONASS 17 L1 SNR (dB/Hz) | GLONASS 18 L1 SNR (dB/Hz) |
| GLONASS 19 L1 SNR (dB/Hz) | GLONASS 24 L1 SNR (dB/Hz) | |


GPS/GLONASS L2 Satellite Lock/Elevation




GPS L2 SNR




GLONASS L2 SNR




BEIDOU Satellite Lock/Elevation





BEIDOU SNR



GALILEO Satellite Lock/Elevation




GALILEO SNR




Smoothed Trajectory Information


Top View




Altitude




Roll/Pitch




Heading




North/East Velocity




Down Velocity




Total Speed




Ground Speed



Body Acceleration



Total Body Acceleration




Body Angular Rate




Forward Processed Trajectory Information


Top View




Altitude




Roll/Pitch




Heading




North/East Velocity




Down Velocity



Total Speed




Ground Speed



Body Acceleration



Total Body Acceleration



Body Angular Rate




GNSS QC


GNSS QC Statistics

Statistics	Min	Max	Mean
Baseline length (km)	0.00	0.00	
Number of GPS SV	5	9	8
Number of GLONASS SV	0	8	7
Number of QZSS SV	0	0	0
Number of BEIDOU SV	0	0	0
Number of GALILEO SV	2	8	6
Total number of SV	7	23	21
PDOP	0.97	2.55	1.13
QC Solution Gaps	0.00	0.00	
Solution Type	Fixed	Float	No solution
Epoch (sec)	7390.00	0.00	0.00
Percentage	100.00	0.00	0.00


Num SVs in solution




Forward/Reverse Separation




PDOP




Estimated Position Accuracy



GPS Residuals




GLONASS Residuals



- | | | | |
|-------------------------|-------------------------|-------------------------|-------------------------|
| GLONASS 01 Residual (m) | GLONASS 02 Residual (m) | GLONASS 03 Residual (m) | GLONASS 08 Residual (m) |
| GLONASS 09 Residual (m) | GLONASS 14 Residual (m) | GLONASS 15 Residual (m) | GLONASS 17 Residual (m) |
| GLONASS 18 Residual (m) | GLONASS 19 Residual (m) | GLONASS 24 Residual (m) | |

GALILEO Residuals



- | | | | |
|-------------------------|-------------------------|-------------------------|-------------------------|
| GALILEO 02 Residual (m) | GALILEO 05 Residual (m) | GALILEO 09 Residual (m) | GALILEO 11 Residual (m) |
| GALILEO 15 Residual (m) | GALILEO 27 Residual (m) | GALILEO 30 Residual (m) | GALILEO 34 Residual (m) |
| GALILEO 36 Residual (m) | | | |


GNSS-Inertial Processor Configuration

Processing mode	IN-Fusion PP-RTX		
Stabilized mount	False		
Processing start time	318345.000 (06/15/2022 16:25:45)		
Processing end time	325769.000 (06/15/2022 18:29:29)		
Initial attitude source	Real-Time VNAV/RNAV Attitude		
IMU Sensor Context	Processing with Onboard IMU		
Reference to IMU lever arm (m)	0.000	0.000	0.000
Reference to IMU mounting angles (deg)	0.000	0.000	180.000
Reference to Primary GNSS lever arm (m)	0.233	-0.289	-0.957
Reference to Primary GNSS lever arm std dev (m)	0.030	0.030	0.030
Aircraft to Reference mounting angles (deg)	0.000	0.000	0.000


Calibrated Installation Parameters

Reference-Primary GNSS Lever Arm (m)


X Reference-Primary GNSS Lever Arm (m)




Y Reference-Primary GNSS Lever Arm (m)



Z Reference-Primary GNSS Lever Arm (m)




Reference-Primary GNSS Lever Arm Figure of Merit




IN-Fusion QC

Forward Processed Estimated Errors, Reference Frame


Accelerometer Bias (micro-g)




X Accelerometer Bias (micro-g)



Y Accelerometer Bias (micro-g)



Z Accelerometer Bias (micro-g)




Accelerometer Scale Error (ppm)




X Accelerometer Scale Error (ppm)




Y Accelerometer Scale Error (ppm)




Z Accelerometer Scale Error (ppm)




Gyro Bias (deg/h)




X Gyro Bias (deg/h)




Y Gyro Bias (deg/h)




Z Gyro Bias (deg/h)




Gyro Scale Error (ppm)




X Gyro Scale Error (ppm)



Y Gyro Scale Error (ppm)




Z Gyro Scale Error (ppm)




Smoothed Performance Metrics


Position Error RMS (m)




Velocity Error RMS (m/s)



Roll/Pitch Error RMS (arc-min)




Heading Error RMS (arc-min)




Forward Processed Performance Metrics


Position Error RMS (m)




Velocity Error RMS (m/s)



Roll/Pitch Error RMS (arc-min)




Heading Error RMS (arc-min)




Forward Processed Solution Status


Processing Mode



Number of Satellites



Baseline Length



Export Summary Section 1

Export file	sbet_14286_NAD83(2011).out		
Export format	Custom Smoothed BET		
Solution in use	Post-processed		
Output rate	All Records		
Reference to Output lever arm (m)	0.000	0.000	0.000
Reference mounting angles (deg)	0.000	0.000	0.000
Output units (Coordinate / Lat & Lon)	Meter	Meter	
Export start time	318774.001 (06/15/2022 16:32:54)		
Export end time	325769.004 (06/15/2022 18:29:29)		
Height option	Ellipsoid Height		
WGS84 height flag	False		
Grid			
Zone			
Datum	NAD83 (2011)		
Ellipsoid	GRS 1980		
Local Transformation			
Target Epoch	2010		

EO Summary Section 1

EO file			
EO format	ZI Imaging		
Lever arm (m)	0.000	0.000	0.000
Boresight angles (arcmin)	0.0000	0.0000	0.0000
Output rate	All Records		
Rotation sequence	x omega	y phi	z kappa
Local shift (m)	0.000	0.000	0.000
Output units (coordinate / angle / lat & lon)	Meter	Degree	Deg Decimal
Height option	Ellipsoid Height		
WGS84 height flag	False		
Scale height option	False		
Kappa cardinal rotation (deg)	0		
Solution in use	Post-processed		
EO start time	318774.001 (06/15/2022 16:32:54)		
EO end time	325769.004 (06/15/2022 18:29:29)		
Grid	Universal Transverse Mercator		
Zone	UTM North 15 (96W to 90W)		
Datum	NAD83 (2011)		
Ellipsoid	GRS 1980		
Local Transformation	NONE		
Target Epoch	2010		