

General Information

Mission Information

Project name	11894
Processing date	2020-12-08 11:01:37
Mission date	2020-12-07 02:48:47
Mission duration	03:07:10.614
Processing mode	IN-Fusion PP-RTX

Rover Hardware Information

Product	POS AV 610 VER6 HW2.5-12
Serial number	S/N10633
IMU type	57
Receiver type	BD982
Antenna type	AV39

Project File List

Rover Data Files

File name	File type
12062020F2Nights.473	POS Data
12062020F2Nights.474	POS Data
12062020F2Nights.475	POS Data
12062020F2Nights.476	POS Data
12062020F2Nights.477	POS Data
12062020F2Nights.478	POS Data
12062020F2Nights.479	POS Data
12062020F2Nights.480	POS Data
12062020F2Nights.481	POS Data
12062020F2Nights.482	POS Data
12062020F2Nights.483	POS Data
12062020F2Nights.484	POS Data
12062020F2Nights.485	POS Data
12062020F2Nights.486	POS Data
12062020F2Nights.487	POS Data
12062020F2Nights.488	POS Data
12062020F2Nights.489	POS Data
12062020F2Nights.490	POS Data
12062020F2Nights.491	POS Data
12062020F2Nights.492	POS Data
12062020F2Nights.493	POS Data
12062020F2Nights.494	POS Data
12062020F2Nights.495	POS Data
12062020F2Nights.496	POS Data

Input Files

File Name	File Type
Ephm3420.20g	GLONASS Broadcast Ephemeris
Ephm3420.20n	GPS Broadcast Ephemeris

Output Files

Filename	File type
sbet_11894.out	SBET Trajectory File
eo_11894.txt	ZI Imaging POSEO Output
sbet_11894_NAD83(2011).out	Custom Smoothed BET Export Output
lever_arm_values.txt	ReferenceToPrimaryLeverArms Export Output

Rover Data Summary

First raw data file	12062020F2Nights.473		
Last raw data file	12062020F2Nights.496		
Start GPS week	2135		
Start time	96526.136 (12/07/2020 02:48:46)		
End time	107756.750 (12/07/2020 05:55:56)		
Start of fine alignment	96858.783 (12/07/2020 02:54:18)		
Available subsystems	Primary GNSS, IMU		
POS Event Input	None		
Correction data	None		
IMU Installation Lever Arms & Mounting Angles			
Reference to IMU lever arm (m)	0.000	0.000	0.000
Reference to IMU mounting angles (deg)	0.000	0.000	180.000
Reference to Primary GNSS lever arm (m)	-0.485	-0.379	-1.087
Reference to Primary GNSS lever arm std dev (m)	-1.000		
Aircraft to Reference mounting angles (deg)	0.000	0.000	0.000


Rover Data QC

Raw IMU Import QC Summary


IMU data input file	imu_11894.dat
IMU data check log file	imudt_11894.log
IMU Records Processed	2245703
Termination Status	Normal
IMU Anomalies	0

Primary Observables & Satellite Data


L1 Satellite Lock/Elevation




L2 Satellite Lock/Elevation



GPS L1 SNR




GPS L2 SNR




- | | | | |
|---------------------------|---------------------------|---------------------------|---------------------------|
| GPS PRN 01 L2 SNR (dB/Hz) | GPS PRN 02 L2 SNR (dB/Hz) | GPS PRN 03 L2 SNR (dB/Hz) | GPS PRN 06 L2 SNR (dB/Hz) |
| GPS PRN 07 L2 SNR (dB/Hz) | GPS PRN 08 L2 SNR (dB/Hz) | GPS PRN 12 L2 SNR (dB/Hz) | GPS PRN 13 L2 SNR (dB/Hz) |
| GPS PRN 14 L2 SNR (dB/Hz) | GPS PRN 15 L2 SNR (dB/Hz) | GPS PRN 17 L2 SNR (dB/Hz) | GPS PRN 19 L2 SNR (dB/Hz) |
| GPS PRN 21 L2 SNR (dB/Hz) | GPS PRN 22 L2 SNR (dB/Hz) | GPS PRN 24 L2 SNR (dB/Hz) | GPS PRN 28 L2 SNR (dB/Hz) |
| GPS PRN 30 L2 SNR (dB/Hz) | | | |

GLONASS L1 SNR




- | | | |
|---------------------------|---------------------------|---------------------------|
| GLONASS 07 L1 SNR (dB/Hz) | GLONASS 08 L1 SNR (dB/Hz) | GLONASS 09 L1 SNR (dB/Hz) |
| GLONASS 10 L1 SNR (dB/Hz) | GLONASS 15 L1 SNR (dB/Hz) | GLONASS 16 L1 SNR (dB/Hz) |
| GLONASS 17 L1 SNR (dB/Hz) | GLONASS 18 L1 SNR (dB/Hz) | GLONASS 19 L1 SNR (dB/Hz) |
| GLONASS 20 L1 SNR (dB/Hz) | GLONASS 21 L1 SNR (dB/Hz) | |


GLONASS L2 SNR



BEIDOU SNR




GALILEO SNR




— GALILEO 02 L1 BOC_1_1_D_MBOC SNR (dB/Hz)	— GALILEO 07 L1 BOC_1_1_D_MBOC SNR (dB/Hz)
— GALILEO 08 L1 BOC_1_1_D_MBOC SNR (dB/Hz)	— GALILEO 11 L1 BOC_1_1_D_MBOC SNR (dB/Hz)
— GALILEO 15 L1 BOC_1_1_D_MBOC SNR (dB/Hz)	— GALILEO 25 L1 BOC_1_1_D_MBOC SNR (dB/Hz)
— GALILEO 27 L1 BOC_1_1_D_MBOC SNR (dB/Hz)	— GALILEO 30 L1 BOC_1_1_D_MBOC SNR (dB/Hz)
— GALILEO 36 L1 BOC_1_1_D_MBOC SNR (dB/Hz)	— GALILEO 02 L5E5A BPSK10_PD SNR (dB/Hz)
— GALILEO 07 L5E5A BPSK10_PD SNR (dB/Hz)	— GALILEO 08 L5E5A BPSK10_PD SNR (dB/Hz)
— GALILEO 11 L5E5A BPSK10_PD SNR (dB/Hz)	— GALILEO 15 L5E5A BPSK10_PD SNR (dB/Hz)
— GALILEO 25 L5E5A BPSK10_PD SNR (dB/Hz)	— GALILEO 27 L5E5A BPSK10_PD SNR (dB/Hz)
— GALILEO 30 L5E5A BPSK10_PD SNR (dB/Hz)	— GALILEO 36 L5E5A BPSK10_PD SNR (dB/Hz)
— GALILEO 02 E5B BPSK10_PD SNR (dB/Hz)	— GALILEO 07 E5B BPSK10_PD SNR (dB/Hz)

Smoothed Trajectory Information


Top View




Altitude




Roll/Pitch




Heading




North/East Velocity



Down Velocity




Total Speed




Ground Speed




Body Acceleration



Total Body Acceleration




Body Angular Rate




Forward Processed Trajectory Information


Top View




Altitude




Roll/Pitch




Heading




North/East Velocity




Down Velocity




Total Speed




Ground Speed




Body Acceleration



Total Body Acceleration



Body Angular Rate




GNSS QC

GNSS QC Statistics

Statistics	Min	Max	Mean
Baseline length (km)	0.00	0.00	
Number of GPS SV	6	11	9
Number of GLONASS SV	3	8	5
Number of QZSS SV	0	0	0
Number of BEIDOU SV	0	0	0
Number of GALILEO SV	5	7	6
Total number of SV	15	25	20
PDOP	0.97	1.41	1.11
QC Solution Gaps	0.00	0.00	
Solution Type	Fixed	Float	No solution
Epoch (sec)	11202.00	0.00	0.00
Percentage	100.00	0.00	0.00


Num SVs in solution




Forward/Reverse Separation




PDOP




Estimated Position Accuracy




GPS Residuals



GLONASS Residuals



GALILEO Residuals




GNSS-Inertial Processor Configuration

Processing mode	IN-Fusion PP-RTX		
Stabilized mount	False		
Processing start time	96527.000 (12/07/2020 02:48:47)		
Processing end time	107756.000 (12/07/2020 05:55:56)		
Initial attitude source	Real-Time VNAV/RNAV Attitude		
IMU Sensor Context	Processing with Onboard IMU		
Reference to IMU lever arm (m)	0.000	0.000	0.000
Reference to IMU mounting angles (deg)	0.000	0.000	180.000
Reference to Primary GNSS lever arm (m)	0.157	-0.150	-1.090
Reference to Primary GNSS lever arm std dev (m)	0.030	0.030	0.030
Aircraft to Reference mounting angles (deg)	0.000	0.000	0.000


Calibrated Installation Parameters

Reference-Primary GNSS Lever Arm (m)


X Reference-Primary GNSS Lever Arm (m)




Y Reference-Primary GNSS Lever Arm (m)



Z Reference-Primary GNSS Lever Arm (m)




Reference-Primary GNSS Lever Arm Figure of Merit




IN-Fusion QC

Forward Processed Estimated Errors, Reference Frame


Accelerometer Bias (micro-g)




X Accelerometer Bias (micro-g)




Y Accelerometer Bias (micro-g)




Z Accelerometer Bias (micro-g)




Accelerometer Scale Error (ppm)




X Accelerometer Scale Error (ppm)




Y Accelerometer Scale Error (ppm)




Z Accelerometer Scale Error (ppm)




Gyro Bias (deg/h)




X Gyro Bias (deg/h)




Y Gyro Bias (deg/h)




Z Gyro Bias (deg/h)




Gyro Scale Error (ppm)




X Gyro Scale Error (ppm)




Y Gyro Scale Error (ppm)




Z Gyro Scale Error (ppm)




Forward Processed Estimated Constant Errors, Reference Frame Accelerometer Bias (micro-g)




X Accelerometer Bias (micro-g)




Y Accelerometer Bias (micro-g)




Z Accelerometer Bias (micro-g)




Gyro Bias (deg/h)




X Gyro Bias (deg/h)



Y Gyro Bias (deg/h)




Z Gyro Bias (deg/h)




Smoothed Performance Metrics


Position Error RMS (m)




Velocity Error RMS (m/s)



Roll/Pitch Error RMS (arc-min)




Heading Error RMS (arc-min)




Forward Processed Performance Metrics


Position Error RMS (m)




Velocity Error RMS (m/s)



Roll/Pitch Error RMS (arc-min)




Heading Error RMS (arc-min)




Forward Processed Solution Status


Processing Mode



Number of Satellites



Baseline Length



Export Summary Section 1

Export file	sbet_11894_NAD83(2011).out		
Export format	Custom Smoothed BET		
Solution in use	Post-processed		
Output rate	All Records		
Reference to Output lever arm (m)	0.000	0.000	0.000
Reference mounting angles (deg)	0.000	0.000	0.000
Output units (Coordinate / Lat & Lon)	Meter	Meter	
Export start time	96860.004 (12/07/2020 02:54:20)		
Export end time	107756.004 (12/07/2020 05:55:56)		
Height option	Ellipsoid Height		
WGS84 height flag	False		
Grid			
Zone			
Datum	NAD83 (2011)		
Ellipsoid	GRS 1980		
Local Transformation			
Target Epoch	2010		

Export Summary Section 2

Export file	lever_arm_values.txt		
Export format	ReferenceToPrimaryLeverArms		
Solution in use	Post-processed		
Output rate	All Records		
Reference to Output lever arm (m)	0.000	0.000	0.000
Reference mounting angles (deg)	0.000	0.000	0.000
Output units (Coordinate / Lat & Lon)	Meter	Meter	
Export start time	96860.004 (12/07/2020 02:54:20)		
Export end time	107756.004 (12/07/2020 05:55:56)		
Height option	Ellipsoid Height		
WGS84 height flag	False		
Grid	Universal Transverse Mercator		
Zone	UTM North 14 (102W to 96W)		
Datum	WGS84		
Ellipsoid	WGS84		
Local Transformation	NONE		
Target Epoch	2010		

EO Summary Section 1

EO file			
EO format	ZI Imaging		
Lever arm (m)	0.000	0.000	0.000
Boresight angles (arcmin)	0.0000	0.0000	0.0000
Output rate	All Records		
Rotation sequence	x omega	y phi	z kappa
Local shift (m)	0.000	0.000	0.000
Output units (coordinate / angle / lat & lon)	Meter	Degree	Deg Decimal
Height option	Ellipsoid Height		
WGS84 height flag	False		
Scale height option	False		
Kappa cardinal rotation (deg)	0		
Solution in use	Post-processed		
EO start time	96860.004 (12/07/2020 02:54:20)		
EO end time	107756.004 (12/07/2020 05:55:56)		
Grid	Universal Transverse Mercator		
Zone	UTM North 14 (102W to 96W)		
Datum	NAD83 (2011)		
Ellipsoid	GRS 1980		
Local Transformation	NONE		
Target Epoch	2010		