

## General Information

### Mission Information

|                  |                                |
|------------------|--------------------------------|
| Project name     | 201129_A_5060380_nad2011_FINAL |
| Processing date  | 2020-11-30 20:13:42            |
| Mission date     | 2020-11-29 13:57:31            |
| Mission duration | 02:26:52.000                   |
| Processing mode  | IN-Fusion PP-RTX               |

### Rover Hardware Information

|               |                          |
|---------------|--------------------------|
| Product       | POS AV 610 VER6 HW2.5-12 |
| Serial number | S/N7769                  |
| IMU type      | 57                       |
| Receiver type | BD982                    |
| Antenna type  | AV39                     |

## Project File List

### Rover Data Files

| File name   | File type |
|-------------|-----------|
| 201129a.157 | POS Data  |
| 201129a.158 | POS Data  |
| 201129a.159 | POS Data  |
| 201129a.160 | POS Data  |
| 201129a.161 | POS Data  |
| 201129a.162 | POS Data  |
| 201129a.163 | POS Data  |
| 201129a.164 | POS Data  |
| 201129a.165 | POS Data  |
| 201129a.166 | POS Data  |
| 201129a.167 | POS Data  |
| 201129a.168 | POS Data  |
| 201129a.169 | POS Data  |
| 201129a.170 | POS Data  |

### Input Files

| File Name    | File Type                   |
|--------------|-----------------------------|
| Ephm3340.20g | GLONASS Broadcast Ephemeris |
| Ephm3340.20n | GPS Broadcast Ephemeris     |

### Output Files

| Filename                               | File type            |
|----------------------------------------|----------------------|
| sbt_201129_A_5060380_nad2011_FINAL.out | SBET Trajectory File |

## Rover Data Summary

|                                                          |                                   |        |         |
|----------------------------------------------------------|-----------------------------------|--------|---------|
| First raw data file                                      | 201129a.157                       |        |         |
| Last raw data file                                       | 201129a.170                       |        |         |
| Start GPS week                                           | 2134                              |        |         |
| Start time                                               | 50252.875 (11/29/2020 1:57:32 PM) |        |         |
| End time                                                 | 59064.457 (11/29/2020 4:24:24 PM) |        |         |
| Start of fine alignment                                  | 50475.684 (11/29/2020 2:01:15 PM) |        |         |
| Available subsystems                                     | Primary GNSS, IMU                 |        |         |
| POS Event Input                                          | None                              |        |         |
| Correction data                                          | None                              |        |         |
| <b>IMU Installation Lever Arms &amp; Mounting Angles</b> |                                   |        |         |
| Reference to IMU lever arm (m)                           | 0.000                             | 0.000  | 0.000   |
| Reference to IMU mounting angles (deg)                   | 0.000                             | 0.000  | 180.000 |
| Reference to Primary GNSS lever arm (m)                  | 0.548                             | -0.432 | -0.960  |
| Reference to Primary GNSS lever arm std dev (m)          | -1.000                            |        |         |
| Aircraft to Reference mounting angles (deg)              | 0.000                             | 0.000  | 0.000   |


## Rover Data QC

### Raw IMU Import QC Summary


|                                                                       |                                          |
|-----------------------------------------------------------------------|------------------------------------------|
| IMU data input file                                                   | imu_201129_A_5060380_nad2011_FINAL.dat   |
| IMU data check log file                                               | imudt_201129_A_5060380_nad2011_FINAL.log |
| IMU Records Processed                                                 | 1762603                                  |
| Termination Status                                                    | Warnings                                 |
| IMU Anomalies                                                         | 1                                        |
| IMU Failure Messages                                                  |                                          |
| 50252.635 : WARNING : Gap of 50230.6424 seconds in CHECKDT input data |                                          |

## Primary Observables & Satellite Data


### GPS/GLONASS L1 Satellite Lock/Elevation




### GPS L1 SNR




### GLONASS L1 SNR




### GPS/GLONASS L2 Satellite Lock/Elevation




### GPS L2 SNR




### GLONASS L2 SNR




### BEIDOU Satellite Lock/Elevation



### BEIDOU SNR




### GALILEO Satellite Lock/Elevation






## GALILEO SNR




|                                             |                                             |
|---------------------------------------------|---------------------------------------------|
| — GALILEO 04 L1 BOC_1_1_DP_MBOC SNR (dB/Hz) | — GALILEO 05 L1 BOC_1_1_DP_MBOC SNR (dB/Hz) |
| — GALILEO 09 L1 BOC_1_1_DP_MBOC SNR (dB/Hz) | — GALILEO 11 L1 BOC_1_1_DP_MBOC SNR (dB/Hz) |
| — GALILEO 12 L1 BOC_1_1_DP_MBOC SNR (dB/Hz) | — GALILEO 18 L1 BOC_1_1_DP_MBOC SNR (dB/Hz) |
| — GALILEO 19 L1 BOC_1_1_DP_MBOC SNR (dB/Hz) | — GALILEO 36 L1 BOC_1_1_DP_MBOC SNR (dB/Hz) |
| — GALILEO 04 L5E5A BPSK10_PD SNR (dB/Hz)    | — GALILEO 05 L5E5A BPSK10_PD SNR (dB/Hz)    |
| — GALILEO 09 L5E5A BPSK10_PD SNR (dB/Hz)    | — GALILEO 11 L5E5A BPSK10_PD SNR (dB/Hz)    |
| — GALILEO 12 L5E5A BPSK10_PD SNR (dB/Hz)    | — GALILEO 18 L5E5A BPSK10_PD SNR (dB/Hz)    |
| — GALILEO 19 L5E5A BPSK10_PD SNR (dB/Hz)    | — GALILEO 36 L5E5A BPSK10_PD SNR (dB/Hz)    |
| — GALILEO 04 E5B BPSK10_PD SNR (dB/Hz)      | — GALILEO 05 E5B BPSK10_PD SNR (dB/Hz)      |
| — GALILEO 09 E5B BPSK10_PD SNR (dB/Hz)      | — GALILEO 11 E5B BPSK10_PD SNR (dB/Hz)      |

## Smoothed Trajectory Information


### Top View




### Altitude




## Roll/Pitch




## Heading




### North/East Velocity




### Down Velocity




### Total Speed




### Ground Speed




## Body Acceleration



## Total Body Acceleration




## Body Angular Rate




## Forward Processed Trajectory Information

### Top View




### Altitude







## Roll/Pitch




## Heading




### North/East Velocity




### Down Velocity




### Total Speed




### Ground Speed




## Body Acceleration



## Total Body Acceleration



## Body Angular Rate




## GNSS QC


### GNSS QC Statistics

| Statistics           | Min     | Max   | Mean        |
|----------------------|---------|-------|-------------|
| Baseline length (km) | 0.00    | 0.00  |             |
| Number of GPS SV     | 7       | 9     | 8           |
| Number of GLONASS SV | 0       | 7     | 5           |
| Number of QZSS SV    | 0       | 0     | 0           |
| Number of BEIDOU SV  | 0       | 0     | 0           |
| Number of GALILEO SV | 0       | 6     | 5           |
| Total number of SV   | 14      | 20    | 19          |
| PDOP                 | 1.04    | 1.55  | 1.24        |
| QC Solution Gaps     | 0.00    | 0.00  |             |
| Solution Type        | Fixed   | Float | No solution |
| Epoch (sec)          | 8755.00 | 0.00  | 0.00        |
| Percentage           | 100.00  | 0.00  | 0.00        |


### Num SVs in solution




### Forward/Reverse Separation




### PDOP



## Estimated Position Accuracy




## GPS Residuals






## GLONASS Residuals



## GALILEO Residuals




## GNSS-Inertial Processor Configuration

|                                                 |                                   |        |         |
|-------------------------------------------------|-----------------------------------|--------|---------|
| Processing mode                                 | IN-Fusion PP-RTX                  |        |         |
| Stabilized mount                                | False                             |        |         |
| Processing start time                           | 50251.000 (11/29/2020 1:57:31 PM) |        |         |
| Processing end time                             | 59063.000 (11/29/2020 4:24:23 PM) |        |         |
| Initial attitude source                         | Real-Time VNAV/RNAV Attitude      |        |         |
| IMU Sensor Context                              | Processing with Onboard IMU       |        |         |
| Reference to IMU lever arm (m)                  | 0.000                             | 0.000  | 0.000   |
| Reference to IMU mounting angles (deg)          | 0.000                             | 0.000  | 180.000 |
| Reference to Primary GNSS lever arm (m)         | 0.565                             | -0.421 | -0.958  |
| Reference to Primary GNSS lever arm std dev (m) | 0.030                             | 0.030  | 0.030   |
| Aircraft to Reference mounting angles (deg)     | 0.000                             | 0.000  | 0.000   |


## Calibrated Installation Parameters

### Reference-Primary GNSS Lever Arm (m)


#### X Reference-Primary GNSS Lever Arm (m)




#### Y Reference-Primary GNSS Lever Arm (m)



### Z Reference-Primary GNSS Lever Arm (m)



### Reference-Primary GNSS Lever Arm Figure of Merit



## IN-Fusion QC


### Forward Processed Estimated Errors, Reference Frame

### Smoothed Performance Metrics


#### Position Error RMS (m)




### Velocity Error RMS (m/s)



### Roll/Pitch Error RMS (arc-min)



### Heading Error RMS (arc-min)




### Forward Processed Performance Metrics


#### Position Error RMS (m)



### Velocity Error RMS (m/s)




### Roll/Pitch Error RMS (arc-min)






### Heading Error RMS (arc-min)




### Forward Processed Solution Status

#### Processing Mode



0 = Fixed NL, 1 = Fixed WL, 2 = Float, 3 = DGNSS, 4 = RTCM, 5 = IAPPP, 6 = C/A, 7 = GNSS Nav, 8 = DR

### Number of Satellites



### Baseline Length

