

General Information

Mission Information

Project name	11885
Processing date	2020-12-06 12:44:50
Mission date	2020-12-05 19:39:27
Mission duration	03:58:50.263
Processing mode	IN-Fusion PP-RTX

Rover Hardware Information

Product	POS AV 610 VER6 HW2.5-12
Serial number	S/N10633
IMU type	57
Receiver type	BD982
Antenna type	AV39

Project File List

Rover Data Files

File name	File type
20201205F2DAY.333	POS Data
20201205F2DAY.334	POS Data
20201205F2DAY.335	POS Data
20201205F2DAY.336	POS Data
20201205F2DAY.337	POS Data
20201205F2DAY.338	POS Data
20201205F2DAY.339	POS Data
20201205F2DAY.340	POS Data
20201205F2DAY.341	POS Data
20201205F2DAY.342	POS Data
20201205F2DAY.343	POS Data
20201205F2DAY.344	POS Data
20201205F2DAY.345	POS Data
20201205F2DAY.346	POS Data
20201205F2DAY.347	POS Data
20201205F2DAY.348	POS Data
20201205F2DAY.349	POS Data
20201205F2DAY.350	POS Data
20201205F2DAY.351	POS Data
20201205F2DAY.352	POS Data
20201205F2DAY.353	POS Data
20201205F2DAY.354	POS Data
20201205F2DAY.355	POS Data
20201205F2DAY.356	POS Data
20201205F2DAY.357	POS Data
20201205F2DAY.358	POS Data
20201205F2DAY.359	POS Data
20201205F2DAY.360	POS Data
20201205F2DAY.361	POS Data
20201205F2DAY.362	POS Data

Input Files

File Name	File Type
Ephm3400.20g	GLONASS Broadcast Ephemeris
Ephm3400.20n	GPS Broadcast Ephemeris

Output Files

Filename	File type
sbet_11885.out	SBET Trajectory File
eo_11885.txt	ZI Imaging POSEO Output
sbet_11885_NAD83(2011).out	Custom Smoothed BET Export Output
lever_arm_values.txt	ReferenceToPrimaryLeverArms Export Output

Rover Data Summary

First raw data file	20201205F2DAY.333		
Last raw data file	20201205F2DAY.362		
Start GPS week	2134		
Start time	589166.740 (12/05/2020 19:39:26)		
End time	603497.003 (12/05/2020 23:38:17)		
Start of fine alignment	589533.576 (12/05/2020 19:45:33)		
Available subsystems	Primary GNSS, IMU		
POS Event Input	None		
Correction data	None		
IMU Installation Lever Arms & Mounting Angles			
Reference to IMU lever arm (m)	0.000	0.000	0.000
Reference to IMU mounting angles (deg)	0.000	0.000	180.000
Reference to Primary GNSS lever arm (m)	-0.485	-0.379	-1.087
Reference to Primary GNSS lever arm std dev (m)	-1.000		
Aircraft to Reference mounting angles (deg)	0.000	0.000	0.000


Rover Data QC

Raw IMU Import QC Summary


IMU data input file	imu_11885.dat
IMU data check log file	imudt_11885.log
IMU Records Processed	2865543
Termination Status	Normal
IMU Anomalies	0

Primary Observables & Satellite Data


L1 Satellite Lock/Elevation




L2 Satellite Lock/Elevation




GPS L1 SNR




GPS L2 SNR



GLONASS L1 SNR




GLONASS L2 SNR




- | | | |
|---------------------------|---------------------------|---------------------------|
| GLONASS 01 L2 SNR (dB/Hz) | GLONASS 02 L2 SNR (dB/Hz) | GLONASS 03 L2 SNR (dB/Hz) |
| GLONASS 04 L2 SNR (dB/Hz) | GLONASS 05 L2 SNR (dB/Hz) | GLONASS 12 L2 SNR (dB/Hz) |
| GLONASS 13 L2 SNR (dB/Hz) | GLONASS 14 L2 SNR (dB/Hz) | GLONASS 15 L2 SNR (dB/Hz) |
| GLONASS 18 L2 SNR (dB/Hz) | GLONASS 19 L2 SNR (dB/Hz) | GLONASS 22 L2 SNR (dB/Hz) |
| GLONASS 23 L2 SNR (dB/Hz) | GLONASS 24 L2 SNR (dB/Hz) | |

BEIDOU SNR



- | | | |
|------------------------------|-----------------------------|-----------------------------|
| BEIDOU 08 E5B B2 SNR (dB/Hz) | BEIDOU 08 B1 B1 SNR (dB/Hz) | BEIDOU 19 B1 B1 SNR (dB/Hz) |
| BEIDOU 20 B1 B1 SNR (dB/Hz) | BEIDOU 21 B1 B1 SNR (dB/Hz) | BEIDOU 22 B1 B1 SNR (dB/Hz) |
| BEIDOU 27 B1 B1 SNR (dB/Hz) | BEIDOU 29 B1 B1 SNR (dB/Hz) | BEIDOU 30 B1 B1 SNR (dB/Hz) |


GALILEO SNR




— GALILEO 02 L1 BOC_1_1_D_MBOC SNR (dB/Hz)	— GALILEO 03 L1 BOC_1_1_D_MBOC SNR (dB/Hz)
— GALILEO 07 L1 BOC_1_1_D_MBOC SNR (dB/Hz)	— GALILEO 08 L1 BOC_1_1_D_MBOC SNR (dB/Hz)
— GALILEO 13 L1 BOC_1_1_D_MBOC SNR (dB/Hz)	— GALILEO 19 L1 BOC_1_1_D_MBOC SNR (dB/Hz)
— GALILEO 21 L1 BOC_1_1_D_MBOC SNR (dB/Hz)	— GALILEO 25 L1 BOC_1_1_D_MBOC SNR (dB/Hz)
— GALILEO 26 L1 BOC_1_1_D_MBOC SNR (dB/Hz)	— GALILEO 27 L1 BOC_1_1_D_MBOC SNR (dB/Hz)
— GALILEO 30 L1 BOC_1_1_D_MBOC SNR (dB/Hz)	— GALILEO 02 L5E5A BPSK10_PD SNR (dB/Hz)
— GALILEO 03 L5E5A BPSK10_PD SNR (dB/Hz)	— GALILEO 07 L5E5A BPSK10_PD SNR (dB/Hz)
— GALILEO 08 L5E5A BPSK10_PD SNR (dB/Hz)	— GALILEO 13 L5E5A BPSK10_PD SNR (dB/Hz)
— GALILEO 19 L5E5A BPSK10_PD SNR (dB/Hz)	— GALILEO 21 L5E5A BPSK10_PD SNR (dB/Hz)
— GALILEO 25 L5E5A BPSK10_PD SNR (dB/Hz)	— GALILEO 26 L5E5A BPSK10_PD SNR (dB/Hz)

Smoothed Trajectory Information


Top View




Altitude




Roll/Pitch




Heading




North/East Velocity




Down Velocity




Total Speed




Ground Speed



Body Acceleration



Total Body Acceleration




Body Angular Rate




Forward Processed Trajectory Information


Top View




Altitude




Roll/Pitch




Heading




North/East Velocity




Down Velocity




Total Speed




Ground Speed



Body Acceleration



Total Body Acceleration



Body Angular Rate




GNSS QC


GNSS QC Statistics

Statistics	Min	Max	Mean
Baseline length (km)	0.00	0.00	
Number of GPS SV	5	10	8
Number of GLONASS SV	4	7	5
Number of QZSS SV	0	0	0
Number of BEIDOU SV	0	0	0
Number of GALILEO SV	4	8	6
Total number of SV	13	23	19
PDOP	0.99	2.41	1.22
QC Solution Gaps	1.00	1.00	
Solution Type	Fixed	Float	No solution
Epoch (sec)	14274.00	0.00	1.00
Percentage	99.99	0.00	0.01


Num SVs in solution




Forward/Reverse Separation




PDOP




Estimated Position Accuracy



GPS Residuals




GLONASS Residuals



- | | | | |
|-------------------------|-------------------------|-------------------------|-------------------------|
| GLONASS 01 Residual (m) | GLONASS 02 Residual (m) | GLONASS 03 Residual (m) | GLONASS 04 Residual (m) |
| GLONASS 05 Residual (m) | GLONASS 12 Residual (m) | GLONASS 13 Residual (m) | GLONASS 14 Residual (m) |
| GLONASS 15 Residual (m) | GLONASS 18 Residual (m) | GLONASS 22 Residual (m) | GLONASS 23 Residual (m) |

GALILEO Residuals



- | | | | |
|-------------------------|-------------------------|-------------------------|-------------------------|
| GALILEO 02 Residual (m) | GALILEO 03 Residual (m) | GALILEO 07 Residual (m) | GALILEO 08 Residual (m) |
| GALILEO 13 Residual (m) | GALILEO 25 Residual (m) | GALILEO 26 Residual (m) | GALILEO 27 Residual (m) |
| GALILEO 30 Residual (m) | | | |


GNSS-Inertial Processor Configuration

Processing mode	IN-Fusion PP-RTX		
Stabilized mount	False		
Processing start time	589167.000 (12/05/2020 19:39:27)		
Processing end time	603497.000 (12/05/2020 23:38:17)		
Initial attitude source	Real-Time VNAV/RNAV Attitude		
IMU Sensor Context	Processing with Onboard IMU		
Reference to IMU lever arm (m)	0.000	0.000	0.000
Reference to IMU mounting angles (deg)	0.000	0.000	180.000
Reference to Primary GNSS lever arm (m)	0.157	-0.150	-1.090
Reference to Primary GNSS lever arm std dev (m)	0.030	0.030	0.030
Aircraft to Reference mounting angles (deg)	0.000	0.000	0.000


Calibrated Installation Parameters

Reference-Primary GNSS Lever Arm (m)


X Reference-Primary GNSS Lever Arm (m)




Y Reference-Primary GNSS Lever Arm (m)



Z Reference-Primary GNSS Lever Arm (m)




Reference-Primary GNSS Lever Arm Figure of Merit




IN-Fusion QC

Forward Processed Estimated Errors, Reference Frame


Accelerometer Bias (micro-g)




X Accelerometer Bias (micro-g)




Y Accelerometer Bias (micro-g)




Z Accelerometer Bias (micro-g)




Accelerometer Scale Error (ppm)




X Accelerometer Scale Error (ppm)




Y Accelerometer Scale Error (ppm)




Z Accelerometer Scale Error (ppm)




Gyro Bias (deg/h)




X Gyro Bias (deg/h)




Y Gyro Bias (deg/h)




Z Gyro Bias (deg/h)




Gyro Scale Error (ppm)




X Gyro Scale Error (ppm)




Y Gyro Scale Error (ppm)




Z Gyro Scale Error (ppm)




Forward Processed Estimated Constant Errors, Reference Frame Accelerometer Bias (micro-g)




X Accelerometer Bias (micro-g)




Y Accelerometer Bias (micro-g)




Z Accelerometer Bias (micro-g)




Gyro Bias (deg/h)




X Gyro Bias (deg/h)



Y Gyro Bias (deg/h)




Z Gyro Bias (deg/h)




Smoothed Performance Metrics


Position Error RMS (m)




Velocity Error RMS (m/s)



Roll/Pitch Error RMS (arc-min)




Heading Error RMS (arc-min)




Forward Processed Performance Metrics


Position Error RMS (m)




Velocity Error RMS (m/s)



Roll/Pitch Error RMS (arc-min)




Heading Error RMS (arc-min)




Forward Processed Solution Status


Processing Mode



Number of Satellites



Baseline Length



Export Summary Section 1

Export file	sbet_11885_NAD83(2011).out		
Export format	Custom Smoothed BET		
Solution in use	Post-processed		
Output rate	All Records		
Reference to Output lever arm (m)	0.000	0.000	0.000
Reference mounting angles (deg)	0.000	0.000	0.000
Output units (Coordinate / Lat & Lon)	Meter	Meter	
Export start time	589535.002 (12/05/2020 19:45:35)		
Export end time	603497.003 (12/05/2020 23:38:17)		
Height option	Ellipsoid Height		
WGS84 height flag	False		
Grid			
Zone			
Datum	NAD83 (2011)		
Ellipsoid	GRS 1980		
Local Transformation			
Target Epoch	2010		

Export Summary Section 2

Export file	lever_arm_values.txt		
Export format	ReferenceToPrimaryLeverArms		
Solution in use	Post-processed		
Output rate	All Records		
Reference to Output lever arm (m)	0.000	0.000	0.000
Reference mounting angles (deg)	0.000	0.000	0.000
Output units (Coordinate / Lat & Lon)	Meter	Meter	
Export start time	589535.002 (12/05/2020 19:45:35)		
Export end time	603497.003 (12/05/2020 23:38:17)		
Height option	Ellipsoid Height		
WGS84 height flag	False		
Grid	Universal Transverse Mercator		
Zone	UTM North 14 (102W to 96W)		
Datum	WGS84		
Ellipsoid	WGS84		
Local Transformation	NONE		
Target Epoch	2010		

EO Summary Section 1

EO file			
EO format	ZI Imaging		
Lever arm (m)	0.000	0.000	0.000
Boresight angles (arcmin)	0.0000	0.0000	0.0000
Output rate	All Records		
Rotation sequence	x omega	y phi	z kappa
Local shift (m)	0.000	0.000	0.000
Output units (coordinate / angle / lat & lon)	Meter	Degree	Deg Decimal
Height option	Ellipsoid Height		
WGS84 height flag	False		
Scale height option	False		
Kappa cardinal rotation (deg)	0		
Solution in use	Post-processed		
EO start time	589535.002 (12/05/2020 19:45:35)		
EO end time	603497.003 (12/05/2020 23:38:17)		
Grid	Universal Transverse Mercator		
Zone	UTM North 14 (102W to 96W)		
Datum	NAD83 (2011)		
Ellipsoid	GRS 1980		
Local Transformation	NONE		
Target Epoch	2010		