

General Information

Mission Information

Project name	11912
Processing date	2020-12-14 09:43:55
Mission date	2020-12-13 19:40:48
Mission duration	03:23:45.787
Processing mode	IN-Fusion PP-RTX

Rover Hardware Information

Product	POS AV 610 VER6 HW2.5-12
Serial number	S/N10633
IMU type	57
Receiver type	BD982
Antenna type	AV39

Project File List

Rover Data Files

File name	File type
12132020F2.616	POS Data
12132020F2.617	POS Data
12132020F2.618	POS Data
12132020F2.619	POS Data
12132020F2.620	POS Data
12132020F2.621	POS Data
12132020F2.622	POS Data
12132020F2.623	POS Data
12132020F2.624	POS Data
12132020F2.625	POS Data
12132020F2.626	POS Data
12132020F2.627	POS Data
12132020F2.628	POS Data
12132020F2.629	POS Data
12132020F2.630	POS Data
12132020F2.631	POS Data
12132020F2.632	POS Data
12132020F2.633	POS Data
12132020F2.634	POS Data
12132020F2.635	POS Data
12132020F2.636	POS Data
12132020F2.637	POS Data
12132020F2.638	POS Data
12132020F2.639	POS Data
12132020F2.640	POS Data
12132020F2.641	POS Data

Input Files

File Name	File Type
Ephm3480.20g	GLONASS Broadcast Ephemeris
Ephm3480.20n	GPS Broadcast Ephemeris

Output Files

Filename	File type
sbet_11912.out	SBET Trajectory File
eo_11912.txt	ZI Imaging POSEO Output
sbet_11912_NAD83(2011).out	Custom Smoothed BET Export Output
lever_arm_values.txt	ReferenceToPrimaryLeverArms Export Output

Rover Data Summary

First raw data file	12132020F2.616		
Last raw data file	12132020F2.641		
Start GPS week	2136		
Start time	70847.286 (12/13/2020 19:40:47)		
End time	83073.073 (12/13/2020 23:04:33)		
Start of fine alignment	71215.466 (12/13/2020 19:46:55)		
Available subsystems	Primary GNSS, IMU		
POS Event Input	None		
Correction data	None		
IMU Installation Lever Arms & Mounting Angles			
Reference to IMU lever arm (m)	0.000	0.000	0.000
Reference to IMU mounting angles (deg)	0.000	0.000	180.000
Reference to Primary GNSS lever arm (m)	-0.485	-0.379	-1.087
Reference to Primary GNSS lever arm std dev (m)	-1.000		
Aircraft to Reference mounting angles (deg)	0.000	0.000	0.000


Rover Data QC

Raw IMU Import QC Summary


IMU data input file	imu_11912.dat
IMU data check log file	imudt_11912.log
IMU Records Processed	2444708
Termination Status	Normal
IMU Anomalies	0

Primary Observables & Satellite Data


L1 Satellite Lock/Elevation




L2 Satellite Lock/Elevation




GPS L1 SNR




GPS L2 SNR




GLONASS L1 SNR




GLONASS L2 SNR



BEIDOU SNR




GALILEO SNR




- | | |
|--|--|
| — GALILEO 01 L1 BOC_1_1_D_MBOC SNR (dB/Hz) | — GALILEO 03 L1 BOC_1_1_D_MBOC SNR (dB/Hz) |
| — GALILEO 04 L1 BOC_1_1_D_MBOC SNR (dB/Hz) | — GALILEO 05 L1 BOC_1_1_D_MBOC SNR (dB/Hz) |
| — GALILEO 09 L1 BOC_1_1_D_MBOC SNR (dB/Hz) | — GALILEO 24 L1 BOC_1_1_D_MBOC SNR (dB/Hz) |
| — GALILEO 25 L1 BOC_1_1_D_MBOC SNR (dB/Hz) | — GALILEO 31 L1 BOC_1_1_D_MBOC SNR (dB/Hz) |
| — GALILEO 36 L1 BOC_1_1_D_MBOC SNR (dB/Hz) | — GALILEO 01 L5E5A BPSK10_PD SNR (dB/Hz) |
| — GALILEO 03 L5E5A BPSK10_PD SNR (dB/Hz) | — GALILEO 04 L5E5A BPSK10_PD SNR (dB/Hz) |
| — GALILEO 05 L5E5A BPSK10_PD SNR (dB/Hz) | — GALILEO 09 L5E5A BPSK10_PD SNR (dB/Hz) |
| — GALILEO 24 L5E5A BPSK10_PD SNR (dB/Hz) | — GALILEO 25 L5E5A BPSK10_PD SNR (dB/Hz) |
| — GALILEO 31 L5E5A BPSK10_PD SNR (dB/Hz) | — GALILEO 36 L5E5A BPSK10_PD SNR (dB/Hz) |
| — GALILEO 01 E5B BPSK10_PD SNR (dB/Hz) | — GALILEO 03 E5B BPSK10_PD SNR (dB/Hz) |

Smoothed Trajectory Information


Top View




Altitude




Roll/Pitch




Heading




North/East Velocity




Down Velocity



Total Speed




Ground Speed



Body Acceleration



Total Body Acceleration




Body Angular Rate




Forward Processed Trajectory Information


Top View




Altitude




Roll/Pitch




Heading




North/East Velocity




Down Velocity



Total Speed




Ground Speed



Body Acceleration



Total Body Acceleration



Body Angular Rate




GNSS QC


GNSS QC Statistics

Statistics	Min	Max	Mean
Baseline length (km)	0.00	0.00	
Number of GPS SV	5	9	8
Number of GLONASS SV	3	7	5
Number of QZSS SV	0	0	0
Number of BEIDOU SV	0	0	0
Number of GALILEO SV	4	6	6
Total number of SV	13	22	19
PDOP	1.01	2.26	1.20
QC Solution Gaps	0.00	0.00	
Solution Type	Fixed	Float	No solution
Epoch (sec)	12169.00	0.00	0.00
Percentage	100.00	0.00	0.00


Num SVs in solution




Forward/Reverse Separation




PDOP




Estimated Position Accuracy




GPS Residuals



GLONASS Residuals



GALILEO Residuals




GNSS-Inertial Processor Configuration

Processing mode	IN-Fusion PP-RTX		
Stabilized mount	False		
Processing start time	70848.000 (12/13/2020 19:40:48)		
Processing end time	83073.000 (12/13/2020 23:04:33)		
Initial attitude source	Real-Time VNAV/RNAV Attitude		
IMU Sensor Context	Processing with Onboard IMU		
Reference to IMU lever arm (m)	0.000	0.000	0.000
Reference to IMU mounting angles (deg)	0.000	0.000	180.000
Reference to Primary GNSS lever arm (m)	0.157	-0.150	-1.090
Reference to Primary GNSS lever arm std dev (m)	0.030	0.030	0.030
Aircraft to Reference mounting angles (deg)	0.000	0.000	0.000


Calibrated Installation Parameters

Reference-Primary GNSS Lever Arm (m)


X Reference-Primary GNSS Lever Arm (m)




Y Reference-Primary GNSS Lever Arm (m)



Z Reference-Primary GNSS Lever Arm (m)




Reference-Primary GNSS Lever Arm Figure of Merit




IN-Fusion QC

Forward Processed Estimated Errors, Reference Frame


Accelerometer Bias (micro-g)




X Accelerometer Bias (micro-g)




Y Accelerometer Bias (micro-g)




Z Accelerometer Bias (micro-g)



Accelerometer Scale Error (ppm)




X Accelerometer Scale Error (ppm)




Y Accelerometer Scale Error (ppm)




Z Accelerometer Scale Error (ppm)




Gyro Bias (deg/h)




X Gyro Bias (deg/h)




Y Gyro Bias (deg/h)




Z Gyro Bias (deg/h)




Gyro Scale Error (ppm)




X Gyro Scale Error (ppm)




Y Gyro Scale Error (ppm)




Z Gyro Scale Error (ppm)




Forward Processed Estimated Constant Errors, Reference Frame Accelerometer Bias (micro-g)




X Accelerometer Bias (micro-g)




Y Accelerometer Bias (micro-g)




Z Accelerometer Bias (micro-g)




Gyro Bias (deg/h)




X Gyro Bias (deg/h)



Y Gyro Bias (deg/h)




Z Gyro Bias (deg/h)




Smoothed Performance Metrics


Position Error RMS (m)




Velocity Error RMS (m/s)



Roll/Pitch Error RMS (arc-min)




Heading Error RMS (arc-min)




Forward Processed Performance Metrics


Position Error RMS (m)




Velocity Error RMS (m/s)



Roll/Pitch Error RMS (arc-min)




Heading Error RMS (arc-min)




Forward Processed Solution Status


Processing Mode



Number of Satellites



Baseline Length



Export Summary Section 1

Export file	sbet_11912_NAD83(2011).out		
Export format	Custom Smoothed BET		
Solution in use	Post-processed		
Output rate	All Records		
Reference to Output lever arm (m)	0.000	0.000	0.000
Reference mounting angles (deg)	0.000	0.000	0.000
Output units (Coordinate / Lat & Lon)	Meter	Meter	
Export start time	71217.002 (12/13/2020 19:46:57)		
Export end time	83073.003 (12/13/2020 23:04:33)		
Height option	Ellipsoid Height		
WGS84 height flag	False		
Grid			
Zone			
Datum	NAD83 (2011)		
Ellipsoid	GRS 1980		
Local Transformation			
Target Epoch	2010		

Export Summary Section 2

Export file	lever_arm_values.txt		
Export format	ReferenceToPrimaryLeverArms		
Solution in use	Post-processed		
Output rate	All Records		
Reference to Output lever arm (m)	0.000	0.000	0.000
Reference mounting angles (deg)	0.000	0.000	0.000
Output units (Coordinate / Lat & Lon)	Meter	Meter	
Export start time	71217.002 (12/13/2020 19:46:57)		
Export end time	83073.003 (12/13/2020 23:04:33)		
Height option	Ellipsoid Height		
WGS84 height flag	False		
Grid	Universal Transverse Mercator		
Zone	UTM North 14 (102W to 96W)		
Datum	WGS84		
Ellipsoid	WGS84		
Local Transformation	NONE		
Target Epoch	2010		

EO Summary Section 1

EO file			
EO format	ZI Imaging		
Lever arm (m)	0.000	0.000	0.000
Boresight angles (arcmin)	0.0000	0.0000	0.0000
Output rate	All Records		
Rotation sequence	x omega	y phi	z kappa
Local shift (m)	0.000	0.000	0.000
Output units (coordinate / angle / lat & lon)	Meter	Degree	Deg Decimal
Height option	Ellipsoid Height		
WGS84 height flag	False		
Scale height option	False		
Kappa cardinal rotation (deg)	0		
Solution in use	Post-processed		
EO start time	71217.002 (12/13/2020 19:46:57)		
EO end time	83073.003 (12/13/2020 23:04:33)		
Grid	Universal Transverse Mercator		
Zone	UTM North 14 (102W to 96W)		
Datum	NAD83 (2011)		
Ellipsoid	GRS 1980		
Local Transformation	NONE		
Target Epoch	2010		