

## General Information

### Mission Information

Project name	220715_A_5060492_nad2011_FINAL
Processing date	2022-07-18 14:11:22
Mission date	2022-07-15 13:25:26
Mission duration	04:02:44.000
Processing mode	IN-Fusion PP-RTX

### Rover Hardware Information

Product	POS AV 610 VER6 HW2.5-12
Serial number	S/N12686
IMU type	57
Receiver type	BD982
Antenna type	AV39

## Project File List

### Rover Data Files

File name	File type
220715a.256	POS Data
220715a.257	POS Data
220715a.258	POS Data
220715a.259	POS Data
220715a.260	POS Data
220715a.261	POS Data
220715a.262	POS Data
220715a.263	POS Data
220715a.264	POS Data
220715a.265	POS Data
220715a.266	POS Data
220715a.267	POS Data
220715a.268	POS Data
220715a.269	POS Data
220715a.270	POS Data
220715a.271	POS Data
220715a.272	POS Data
220715a.273	POS Data
220715a.274	POS Data
220715a.275	POS Data
220715a.276	POS Data
220715a.277	POS Data
220715a.278	POS Data
220715a.279	POS Data
220715a.280	POS Data
220715a.281	POS Data
220715a.282	POS Data
220715a.283	POS Data
220715a.284	POS Data
220715a.285	POS Data
220715a.286	POS Data
220715a.287	POS Data

### Input Files

File Name	File Type
Ephm1960.22g	GLONASS Broadcast Ephemeris
Ephm1960.22n	GPS Broadcast Ephemeris

### Output Files

Filename	File type
sbet_220715_A_5060492_nad2011_FINAL.out	SBET Trajectory File
sbet_220715_A_5060492_nad2011_FINAL.shp	Shapefile Export Output

## Rover Data Summary

First raw data file	220715a.256		
Last raw data file	220715a.287		
Start GPS week	2218		
Start time	480325.882 (07/15/2022 13:25:25)		
End time	494890.609 (07/15/2022 17:28:10)		
Start of fine alignment	480729.270 (07/15/2022 13:32:09)		
Available subsystems	Primary GNSS, IMU		
POS Event Input	None		
Correction data	None		
<b>IMU Installation Lever Arms &amp; Mounting Angles</b>			
Reference to IMU lever arm (m)	0.000	0.000	0.000
Reference to IMU mounting angles (deg)	0.000	0.000	180.000
Reference to Primary GNSS lever arm (m)	0.361	-0.429	-0.945
Reference to Primary GNSS lever arm std dev (m)	-1.000		
Aircraft to Reference mounting angles (deg)	0.000	0.000	0.000


## Rover Data QC

### Raw IMU Import QC Summary


IMU data input file	imu_220715_A_5060492_nad2011_FINAL.dat
IMU data check log file	imudt_220715_A_5060492_nad2011_FINAL.log
IMU Records Processed	2912559
Termination Status	Normal
IMU Anomalies	0

## Primary Observables & Satellite Data

### GPS/GLONASS L1 Satellite Lock/Elevation




### GPS L1 SNR




- |                           |                           |                           |                           |
|---------------------------|---------------------------|---------------------------|---------------------------|
| GPS PRN 02 L1 SNR (dB/Hz) | GPS PRN 05 L1 SNR (dB/Hz) | GPS PRN 06 L1 SNR (dB/Hz) | GPS PRN 11 L1 SNR (dB/Hz) |
| GPS PRN 12 L1 SNR (dB/Hz) | GPS PRN 13 L1 SNR (dB/Hz) | GPS PRN 14 L1 SNR (dB/Hz) | GPS PRN 15 L1 SNR (dB/Hz) |
| GPS PRN 17 L1 SNR (dB/Hz) | GPS PRN 18 L1 SNR (dB/Hz) | GPS PRN 19 L1 SNR (dB/Hz) | GPS PRN 20 L1 SNR (dB/Hz) |
| GPS PRN 24 L1 SNR (dB/Hz) | GPS PRN 25 L1 SNR (dB/Hz) | GPS PRN 29 L1 SNR (dB/Hz) | GPS PRN 30 L1 SNR (dB/Hz) |
| GPS PRN 31 L1 SNR (dB/Hz) |                           |                           |                           |

### GLONASS L1 SNR




- |                           |                           |                           |
|---------------------------|---------------------------|---------------------------|
| GLONASS 01 L1 SNR (dB/Hz) | GLONASS 02 L1 SNR (dB/Hz) | GLONASS 08 L1 SNR (dB/Hz) |
| GLONASS 12 L1 SNR (dB/Hz) | GLONASS 13 L1 SNR (dB/Hz) | GLONASS 14 L1 SNR (dB/Hz) |
| GLONASS 15 L1 SNR (dB/Hz) | GLONASS 17 L1 SNR (dB/Hz) | GLONASS 23 L1 SNR (dB/Hz) |
| GLONASS 24 L1 SNR (dB/Hz) |                           |                           |


### GPS/GLONASS L2 Satellite Lock/Elevation




### GPS L2 SNR




### GLONASS L2 SNR




### BEIDOU Satellite Lock/Elevation



### BEIDOU SNR




### GALILEO Satellite Lock/Elevation






## GALILEO SNR




— GALILEO 02 L1 BOC_1_1_DP_MBOC SNR (dB/Hz)	— GALILEO 03 L1 BOC_1_1_DP_MBOC SNR (dB/Hz)
— GALILEO 05 L1 BOC_1_1_DP_MBOC SNR (dB/Hz)	— GALILEO 07 L1 BOC_1_1_DP_MBOC SNR (dB/Hz)
— GALILEO 11 L1 BOC_1_1_DP_MBOC SNR (dB/Hz)	— GALILEO 13 L1 BOC_1_1_DP_MBOC SNR (dB/Hz)
— GALILEO 15 L1 BOC_1_1_DP_MBOC SNR (dB/Hz)	— GALILEO 21 L1 BOC_1_1_DP_MBOC SNR (dB/Hz)
— GALILEO 25 L1 BOC_1_1_DP_MBOC SNR (dB/Hz)	— GALILEO 27 L1 BOC_1_1_DP_MBOC SNR (dB/Hz)
— GALILEO 30 L1 BOC_1_1_DP_MBOC SNR (dB/Hz)	— GALILEO 36 L1 BOC_1_1_DP_MBOC SNR (dB/Hz)
— GALILEO 02 L5E5A BPSK10_PD SNR (dB/Hz)	— GALILEO 03 L5E5A BPSK10_PD SNR (dB/Hz)
— GALILEO 05 L5E5A BPSK10_PD SNR (dB/Hz)	— GALILEO 07 L5E5A BPSK10_PD SNR (dB/Hz)
— GALILEO 11 L5E5A BPSK10_PD SNR (dB/Hz)	— GALILEO 13 L5E5A BPSK10_PD SNR (dB/Hz)
— GALILEO 15 L5E5A BPSK10_PD SNR (dB/Hz)	— GALILEO 21 L5E5A BPSK10_PD SNR (dB/Hz)

## Smoothed Trajectory Information


### Top View




### Altitude




## Roll/Pitch




## Heading




## North/East Velocity




## Down Velocity




## Total Speed




## Ground Speed




## Body Acceleration



## Total Body Acceleration




## Body Angular Rate




## Forward Processed Trajectory Information

### Top View




### Altitude







## Roll/Pitch




## Heading




## North/East Velocity




## Down Velocity




## Total Speed




## Ground Speed




## Body Acceleration



## Total Body Acceleration



## Body Angular Rate




## GNSS QC


### GNSS QC Statistics

Statistics	Min	Max	Mean
Baseline length (km)	0.00	0.00	
Number of GPS SV	3	9	8
Number of GLONASS SV	4	7	5
Number of QZSS SV	0	0	0
Number of BEIDOU SV	0	2	1
Number of GALILEO SV	3	6	5
Total number of SV	11	22	18
PDOP	0.97	3.29	1.25
QC Solution Gaps	0.00	0.00	
Solution Type	Fixed	Float	No solution
Epoch (sec)	14556.00	0.00	0.00
Percentage	100.00	0.00	0.00


### Num SVs in solution




## Forward/Reverse Separation




## PDOP



## Estimated Position Accuracy




## GPS Residuals








## GLONASS Residuals



## BEIDOU Residuals



## GALILEO Residuals



## GNSS-Inertial Processor Configuration

Processing mode	IN-Fusion PP-RTX		
Stabilized mount	False		
Processing start time	480326.000 (07/15/2022 13:25:26)		
Processing end time	494890.000 (07/15/2022 17:28:10)		
Initial attitude source	Real-Time VNAV/RNAV Attitude		
IMU Sensor Context	Processing with Onboard IMU		
Reference to IMU lever arm (m)	0.000	0.000	0.000
Reference to IMU mounting angles (deg)	0.000	0.000	180.000
Reference to Primary GNSS lever arm (m)	0.382	-0.434	-1.084
Reference to Primary GNSS lever arm std dev (m)	0.030	0.030	0.030
Aircraft to Reference mounting angles (deg)	0.000	0.000	0.000


## Calibrated Installation Parameters

### Reference-Primary GNSS Lever Arm (m)


#### Reference-Primary GNSS Lever Arm Automatic Calibration Results

Original Reference to Primary GNSS lever arm (m)	0.361	-0.429	-0.945
Iteration 1 Reference to Primary GNSS lever arm (m)	0.382	-0.433	-1.082
Iteration 2 Reference to Primary GNSS lever arm (m)	0.382	-0.434	-1.084
Primary GNSS Lever Arm In use	Iteration 2		


### X Reference-Primary GNSS Lever Arm (m)




### Y Reference-Primary GNSS Lever Arm (m)



### Z Reference-Primary GNSS Lever Arm (m)




### Reference-Primary GNSS Lever Arm Figure of Merit




## IN-Fusion QC

### Forward Processed Estimated Errors, Reference Frame


#### Accelerometer Bias (micro-g)




#### X Accelerometer Bias (micro-g)



### Y Accelerometer Bias (micro-g)




### Z Accelerometer Bias (micro-g)






### Accelerometer Scale Error (ppm)




### X Accelerometer Scale Error (ppm)




### Y Accelerometer Scale Error (ppm)




### Z Accelerometer Scale Error (ppm)




### Gyro Bias (deg/h)




### X Gyro Bias (deg/h)




### Y Gyro Bias (deg/h)




### Z Gyro Bias (deg/h)




### Gyro Scale Error (ppm)




### X Gyro Scale Error (ppm)



### Y Gyro Scale Error (ppm)




### Z Gyro Scale Error (ppm)




## Smoothed Performance Metrics


### Position Error RMS (m)




### Velocity Error RMS (m/s)



### Roll/Pitch Error RMS (arc-min)




### Heading Error RMS (arc-min)






## Forward Processed Performance Metrics


### Position Error RMS (m)




### Velocity Error RMS (m/s)



### Roll/Pitch Error RMS (arc-min)




### Heading Error RMS (arc-min)




## Forward Processed Solution Status

### Processing Mode




0 = Fixed NL, 1 = Fixed WL, 2 = Float, 3 = DGNSS, 4 = RTCM, 5 = IAPPP, 6 = C/A, 7 = GNSS Nav, 8 = DR

### Number of Satellites



— Number of GPS Satellites    — Number of GLONASS Satellites    — Number of QZSS Satellites  
 — Number of BEIDOU Satellites    — Number of GALILEO Satellites

## Baseline Length



## Export Summary

Export file	sbet_220715_A_5060492_nad2011_FINAL.shp		
Export format	Shapefile		
Solution in use	Post-processed		
Output rate	Specified Distance Interval		
Distance Interval (m)	10.000		
Reference to Output lever arm (m)	0.000	0.000	0.000
Reference mounting angles (deg)	0.000	0.000	0.000
Output units (Coordinate / Lat & Lon)	Meter	Deg Decimal	
Export start time	480731.001 (07/15/2022 13:32:11)		
Export end time	494890.004 (07/15/2022 17:28:10)		
Height option	Ellipsoid Height		
WGS84 height flag	False		
Grid	Universal Transverse Mercator		
Zone	UTM North 11 (120W to 114W)		
Datum	NAD83 (2011)		
Ellipsoid	GRS 1980		
Local Transformation	NONE		
Target Epoch	2022.534247		