AMENDMENT OF SOLICITATION/MODIFICATION OF CONTRACT				1. CONTRACT ID CODE	PAGE OF	OF PAGES		
						1	16	
2. AMENDMENT/MODIFICATION NO.	3. EFFECTIVE			QUISITION/PURCHASE REQ. NO.	5. PR0	OJECT NO	). (If applicable)	
0001	11/25/20	313		0120941				
6. ISSUED BY CODE	GDB		7. AD	MINISTERED BY (If other than Item 6)	CODE	GD1		
USGS OAG Denver Acquisition	Branch		USG	S OAG Denver Acquisition	n Br	anch		
PO Box 25046				m A				
204 Denver Federal Center				Box 25046				
Denver CO 80225-0046				Denver Federal Center				
			Der	ver CO 80225-0046				
8. NAME AND ADDRESS OF CONTRACTOR (No., street,	. county. State and	ZIP Code)	, , 94	A. AMENDMENT OF SOLICITATION NO.				
	,,	<u>(</u>	(x)					
WOOLPERT, INC.								
Attn: ATTN Government POC			9E	3. DATED (SEE ITEM 11)				
4454 IDEA CENTER BLVD.								
DAYTON OH 45430-1500		,	x 10	A. MODIFICATION OF CONTRACT/ORDER NO	0.			
		ľ	٦	10PC00057				
			_	13PD00796				
	1			B. DATED (SEE ITEM 13)				
CODE 0070118546	FACILITY COD	DE	(	09/06/2013				
	11. THIS ITI	EM ONLY APPLIES TO AN	MEND	MENTS OF SOLICITATIONS				
$\hfill\square$ The above numbered solicitation is amended as set for	orth in Item 14.	The hour and date specifie	ed for	receipt of Offers	nded.	☐ is not e	xtended.	
Offers must acknowledge receipt of this amendment p		· ·			,		•	
· · · · · · · · · · · · · · · · · · ·				eceipt of this amendment on each copy of the off				
separate letter or telegram which includes a reference THE PLACE DESIGNATED FOR THE RECEIPT OF O								
virtue of this amendment you desire to change an offe						-		
reference to the solicitation and this amendment, and		to the opening hour and o	date sp	pecified.				
12. ACCOUNTING AND APPROPRIATION DATA (If requ	uired)	Net	Ind	crease: \$3	32,16	62.50		
See Schedule								
13. THIS ITEM ONLY APPLIES TO M	ODIFICATION O	F CONTRACTS/ORDERS	i. IT M	ODIFIES THE CONTRACT/ORDER NO. AS DES	SCRIBE	D IN ITEM	14.	
CHECK ONE A. THIS CHANGE ORDER IS ISSUED F	PURSUANT TO:	(Specify authority) THE (	CHAN	GES SET FORTH IN ITEM 14 ARE MADE IN TH	HE CON	NTRACT		
ORDER NO. IN ITEM 10A.		(		GES SET FORTH IN ITEM 14 ARE MADE IN TH				
B. THE ABOVE NUMBERED CONTRAC	T/ORDER IS M	ODIFIED TO REFLECT T	HE AD	DMINISTRATIVE CHANGES (such as changes i	n pavino	a office.		
appropriation date, etc.) SET FORTH	I IN ITEM 14, PL	JRSUANT TO THE AUTH	ORIT	OMINISTRATIVE CHANGES (such as changes in OFFAR 43.103(b).	,, ,	<i>y</i> ,		
C. THIS SUPPLEMENTAL AGREEMEN	T IS ENTERED	NTO PURSUANT TO AU	THOR	ITY OF:				
X FAR 52.243-1(f) Chan	ges-Fixe	d Price-Alter	nat	e III				
D. OTHER (Specify type of modification	and authority)							
E. IMPORTANT: Contractor is not.	X is required t	o sign this document and	return	1 copies to the issuing	n office			
14. DESCRIPTION OF AMENDMENT/MODIFICATION (								
Geospatial Product and Servi		•	uairig	solicitation/contract subject matter where leasib	ie.)			
-		C)						
New England CMGP SANDY LiDAR								
DUNS: 008929457								
Suggested COR: DPRATER								
This Change Order includes the	he follo	wing modifica	atic	ens:				
CLIN 00200: Reduce the Obliga	ation of	DRA funding	by	\$10,728.93 decreasing th	he n	ew li	ne item	
amount from \$156,339.17 to \$	145,610.	24	_	_				
, ,	,							
CLINS 00210-00250: Adds \$32	162 50	to the award	+0	cover an additional 126	8.0	mila	q	
					_		· .	
This will increase the overa	ıı Task	order bilde I	LON	. 74/0,042.98 to \$310,20	J.48	•		
Continued								
Except as provided herein, all terms and conditions of th	e document refe	renced in Item 9 A or 10A	<del>-</del>	* '				
15A. NAME AND TITLE OF SIGNER (Type or print)			16A.	NAME AND TITLE OF CONTRACTING OFFIC	ER (Ty	pe or print)	)	
			An	nie Howard				
15B. CONTRACTOR/OFFEROR		15C. DATE SIGNED	16B	UNITED STATES OF AMERICA		160	C. DATE SIGNED	
		3. 2 2 3.3.,22						
(Signature of person authorized to sign)			—	(Signature of Contracting Officer)		-		
(Orginature of person authorized to sign)			1	(Signature of Contracting Officer)				

 CONTINUATION SHEET
 REFERENCE NO. OF DOCUMENT BEING CONTINUED
 PAGE
 OF

 G10PC00057/G13PD00796/0001
 2
 16

NAME OF OFFEROR OR CONTRACTOR

ITEM NO.	SUPPLIES/SERVICES	QUANTITY	UNIT	UNIT PRICE	AMOUNT
(A)	(B)	(C)	(D)	(E)	(F)
	Payment Terms: PP30 Delivery Location Code: 0006366931 USGS NGTOC MS 306 Rolla MO 65401 US				
	FOB: Destination				
	Change Item 00010 to read as follows(amount shown is the obligated amount):				
00010	NON-DISASTER FUNDS Geospatial Product and Services (GPSC) New England CMGP SANDY LiDAR				0.00
	The contractor shall perform this task in accordance with the attached Task Order Detail for New England CMGP SANDY LiDAR Task Order Processing and contractor's proposal dated August 22, 2013.				
	The Period of Performance for this Task Order is from date of Notice to Proceed to June 30, 2015 IT Approval Num: N				
	Delivery: 05/30/2015 Accounting Info: 01 Account Assignment: K G/L Account: 6100.252A0 Business Area: G000 Commitment Item: 252A00 Cost Center: GGHIEG5000 Functional Area: GE0301000.J80000 Fund: 133G0804AR Fund Center: GGHIEG5000 Project/WBS: GR.13.EG50.E1C4G.00 PR Acct Assign Line: 01 Funded: \$0.00				
	Change Item 00020 to read as follows(amount shown is the obligated amount):				
00020	NON-DISASTER FUNDS Geospatial Product and Services (GPSC) New England CMGP SANDY LiDAR				0.00
	The contractor shall perform this task in accordance with the attached Task Order Detail for New England CMGP SANDY LiDAR Task Order Processing and contractor's proposal dated August Continued				

 CONTINUATION SHEET
 REFERENCE NO. OF DOCUMENT BEING CONTINUED G10PC00057/G13PD00796/0001
 PAGE OF 16

NO. SUPPLIES/SERVICES	QUANTITY	UNIT	UNIT PRICE	AMOUNT
A) (B)	(C)	(D)	(E)	(F)
	(C)	1 1		1

 CONTINUATION SHEET
 REFERENCE NO. OF DOCUMENT BEING CONTINUED G10PC00057/G13PD00796/0001
 PAGE Q1
 OF L
 16

WOODIDIK	T, INC.	1		Г	
ITEM NO.	SUPPLIES/SERVICES	QUANTITY		UNIT PRICE	AMOUNT
		(C)	(D)	(E)	
00040 00050	NON-DISASTER FUNDS Geospatial Product and Services (GPSC) New England CMGP SANDY LiDAR  The contractor shall perform this task in accordance with the attached Task Order Detail for New England CMGP SANDY LiDAR Task Order Processing and contractor's proposal dated August 22, 2013.  The Period of Performance for this Task Order is from date of Notice to Proceed to June 30, 2015 IT Approval Num: N  Delivery: 06/30/2015 Accounting Info: 01 Account Assignment: K G/L Account: 6100.252A0 Business Area: G000 Commitment Item: 252A00 Cost Center: GGHIEG5000 Functional Area: GE0301000.J80000 Functional Area: GE0301000.J80000 Functional Area: GGHIEG5000 Project/WBS: GR.13.EG50.E1CME.00 PR Acct Assign Line: 01 Funded: \$0.00  Change Item 00050 to read as follows(amount shown is the obligated amount):  NON-DISASTER FUNDS Geospatial Product and Services (GPSC) New England CMGP SANDY LiDAR  The contractor shall perform this task in accordance with the attached Task Order Detail for New England CMGP SANDY LiDAR Task Order Processing and contractor's proposal dated August 22, 2013.	QUANTITY (C)	(UNIT (D)	UNIT PRICE (E)	AMOUNT (F) 0.00
	The Period of Performance for this Task Order is from date of Notice to Proceed to June 30, 2015 IT Approval Num: N  Delivery: 06/30/2015				
	Accounting Info: 01 Account Assignment: K G/L Account: 6100.252A0 Business Area: G000 Commitment Item: 252A00 Cost Center: GGHIEG5000 Functional Area: GE0301000.J80000 Fund: XXXG0804XR Fund Center: GGHIEG5000 Project/WBS: GR.13.EG50.E1CMN.00 PR Continued				

 CONTINUATION SHEET
 REFERENCE NO. OF DOCUMENT BEING CONTINUED G10PC00057/G13PD00796/0001
 PAGE G10PC00057/G13PD00796/0001
 OF G10PC00057/G13PD00796/0001

NAME OF OFFEROR OR CONTRACTOR

ITEM NO.	SUPPLIES/SERVICES	QUANTITY	UNIT	UNIT PRICE	AMOUNT
(A)	(B)	(C)	(D)	(E)	(F)
	Acct Assign Line: 01 Funded: \$0.00				
	Change Item 00060 to read as follows(amount shown is the obligated amount):				
00060	NON-DISASTER FUNDS Geospatial Product and Services (GPSC) New England CMGP SANDY LiDAR				0.0
	The contractor shall perform this task in accordance with the attached Task Order Detail for New England CMGP SANDY LiDAR Task Order Processing and contractor's proposal dated August 22, 2013.				
	The Period of Performance for this Task Order is from date of Notice to Proceed to June 30, 2015 IT Approval Num: N				
	Delivery: 06/30/2015 Accounting Info: 01 Account Assignment: K G/L Account: 6100.252A0 Business Area: G000 Commitment Item: 252A00 Cost Center: GGHIEG5000 Functional Area: GE0301000.J80000 Fund: XXXG0804XR Fund Center: GGHIEG5000 Project/WBS: GR.13.EG50.E1CMB.00 PR Acct Assign Line: 01 Funded: \$0.00				
	Change Item 00070 to read as follows(amount shown is the obligated amount):				
00070	NON-DISASTER FUNDS Geospatial Product and Services (GPSC) New England CMGP SANDY LiDAR				0.0
	The contractor shall perform this task in accordance with the attached Task Order Detail for New England CMGP SANDY LiDAR Task Order Processing and contractor's proposal dated August 22, 2013.				
	The Period of Performance for this Task Order is from date of Notice to Proceed to June 30, 2015 IT Approval Num: N Continued				

CONTINUATION SHEET REFERENCE NO. OF DOCUMENT BEING CONTINUED
G10PC00057/G13PD00796/0001

PAGE OF 16

ITEM NO.	SUPPLIES/SERVICES	QUANTITY		UNIT PRICE	AMOUNT
(A)	(B)	(C)	(D)	(E)	(F)
	Delivery: 06/30/2015 Accounting Info: 01 Account Assignment: K G/L Account: 6100.252A0 Business Area: G000 Commitment Item: 252A00 Cost Center: GGHIEG5000 Functional Area: GE0301000.J80000 Fund: XXXG0804XR Fund Center: GGHIEG5000 Project/WBS: GR.13.EG50.E1CMF.00 PR Acct Assign Line: 01 Funded: \$0.00				
	Change Item 00080 to read as follows(amount shown is the obligated amount):				
08000	NON-DISASTER FUNDS Geospatial Product and Services (GPSC) New England CMGP SANDY LiDAR				0.0
	The contractor shall perform this task in accordance with the attached Task Order Detail for New England CMGP SANDY LiDAR Task Order Processing and contractor's proposal dated August 22, 2013.				
	The Period of Performance for this Task Order is from date of Notice to Proceed to June 30, 2015 IT Approval Num: N				
	Delivery: 06/30/2015 Accounting Info: 01 Account Assignment: K G/L Account: 6100.252A0 Business Area: G000 Commitment Item: 252A00 Cost Center: GGHIEG5000 Functional Area: GE0301000.J80000 Fund: XXXG0804XR Fund Center: GGHIEG5000 Project/WBS: GR.13.EG50.E1CMD.00 PR Acct Assign Line: 01 Funded: \$0.00				
	Change Item 00090 to read as follows(amount shown is the obligated amount):				
00090	NON-DISASTER FUNDS Geospatial Product and Services (GPSC) New England CMGP SANDY LiDAR				0.0
	The contractor shall perform this task in Continued				

 CONTINUATION SHEET
 REFERENCE NO. OF DOCUMENT BEING CONTINUED G10PC00057/G13PD00796/0001
 PAGE 7
 16

NAME OF OFFEROR OR CONTRACTOR

ITEM NO.	SUPPLIES/SERVICES	QUANTITY	UNIT	UNIT PRICE	AMOUNT
(A)	(B)	(C)	(D)	(E)	(F)
	accordance with the attached Task Order Detail for New England CMGP SANDY LiDAR Task Order Processing and contractor's proposal dated August 22, 2013.  The Period of Performance for this Task Order is from date of Notice to Proceed to June 30, 2015				
	Delivery: 06/30/2015 Accounting Info: 01 Account Assignment: K G/L Account: 6100.252A0 Business Area: G000 Commitment Item: 252A00 Cost Center: GGHIEG5000 Functional Area: GE0301000.J80000 Fund: XXXG0804XR Fund Center: GGHIEG5000 Project/WBS: GR.13.EG50.E1CMG.00 PR Acct Assign Line: 01 Funded: \$0.00				
	Change Item 00100 to read as follows(amount shown is the obligated amount):				
00100	NON-DISASTER FUNDS Geospatial Product and Services (GPSC) New England CMGP SANDY LiDAR				0.
	The contractor shall perform this task in accordance with the attached Task Order Detail for New England CMGP SANDY LiDAR Task Order Processing and contractor's proposal dated August 22, 2013.				
	The Period of Performance for this Task Order is from date of Notice to Proceed to June 30, 2015 IT Approval Num: N				
	Delivery: 06/30/2015 Accounting Info: 01 Account Assignment: K G/L Account: 6100.252A0 Business Area: G000 Commitment Item: 252A00 Cost Center: GGHIEG5000 Functional Area: GE0301000.J80000 Fund: XXXG0804XR Fund Center: GGHIEG5000 Project/WBS: GR.13.EG50.E1CMH.00 PR Acct Assign Line: 01 Funded: \$0.00				
	Change Item 00110 to read as follows(amount shown Continued				

 CONTINUATION SHEET
 REFERENCE NO. OF DOCUMENT BEING CONTINUED
 PAGE
 OF

 G10PC00057/G13PD00796/0001
 8
 16

ITEM NO.	SUPPLIES/SERVICES	QUANTITY		UNIT PRICE	AMOUNT
(A)	(B) is the obligated amount):	(C)	(D)	(E)	(F)
	is the obligated amount).				
00110	NON-DISASTER FUNDS Geospatial Product and Services (GPSC) New England CMGP SANDY LiDAR				0.0
	The contractor shall perform this task in accordance with the attached Task Order Detail for New England CMGP SANDY LiDAR Task Order Processing and contractor's proposal dated August 22, 2013.				
	The Period of Performance for this Task Order is from date of Notice to Proceed to June 30, 2015 IT Approval Num: N				
	Delivery: 06/30/2015 Accounting Info: 01 Account Assignment: K G/L Account: 6100.252A0 Business Area: G000 Commitment Item: 252A00 Cost Center: GGHIEG5000 Functional Area: GE0301000.J80000 Fund: XXXG0804XR Fund Center: GGHIEG5000 Project/WBS: GR.13.EG50.E1CMI.00 PR Acct Assign Line: 01 Funded: \$0.00				
	Change Item 00120 to read as follows(amount shown is the obligated amount):				
00120	NON-DISASTER FUNDS Geospatial Product and Services (GPSC) New England CMGP SANDY LiDAR				0.0
	The contractor shall perform this task in accordance with the attached Task Order Detail for New England CMGP SANDY LiDAR Task Order Processing and contractor's proposal dated August 22, 2013.				
	The Period of Performance for this Task Order is from date of Notice to Proceed to June 30, 2015 IT Approval Num: N				
	Delivery: 06/30/2015 Accounting Info: 01 Account Assignment: K G/L Account: 6100.252A0 Business Area: G000 Commitment Item: 252A00 Cost Continued				

 CONTINUATION SHEET
 REFERENCE NO. OF DOCUMENT BEING CONTINUED
 PAGE
 OF

 G10PC00057/G13PD00796/0001
 9
 16

ITEM NO.	SUPPLIES/SERVICES	QUANTITY		UNIT PRICE	AMOUNT
(A)	(B)	(C)	(D)	(E)	(F)
	Center: GGHIEG5000 Functional Area: GE0301000.J80000 Fund: XXXG0804XR Fund Center: GGHIEG5000 Project/WBS: GR.13.EG50.E1CMO.00 PR Acct Assign Line: 01 Funded: \$0.00				
	Change Item 00130 to read as follows(amount shown is the obligated amount):				
00130	NON-DISASTER FUNDS Geospatial Product and Services (GPSC) New England CMGP SANDY LiDAR				0.0
	The contractor shall perform this task in accordance with the attached Task Order Detail for New England CMGP SANDY LiDAR Task Order Processing and contractor's proposal dated August 22, 2013.				
	The Period of Performance for this Task Order is from date of Notice to Proceed to June 30, 2015 IT Approval Num: N				
	Delivery: 06/30/2015 Accounting Info: 01 Account Assignment: K G/L Account: 6100.252A0 Business Area: G000 Commitment Item: 252A00 Cost Center: GGHIEG5000 Functional Area: GE0301000.J80000 Fund: XXXG0804XR Fund Center: GGHIEG5000 Project/WBS: GR.13.EG50.E1CMJ.00 PR Acct Assign Line: 01 Funded: \$0.00				
	Change Item 00140 to read as follows(amount shown is the obligated amount):				
00140	NON-DISASTER FUNDS Geospatial Product and Services (GPSC) New England CMGP SANDY LiDAR				0.0
	The contractor shall perform this task in accordance with the attached Task Order Detail for New England CMGP SANDY LiDAR Task Order Processing and contractor's proposal dated August 22, 2013.				
	Continued				

 CONTINUATION SHEET
 REFERENCE NO. OF DOCUMENT BEING CONTINUED
 PAGE
 OF

 g10PC00057/G13PD00796/0001
 10
 16

ITEM NO.	SUPPLIES/SERVICES	QUANTITY		UNIT PRICE	AMOUNT
(A)	(B)	(C)	(D)	(E)	(F)
	The Period of Performance for this Task Order is from date of Notice to Proceed to June 30, 2015 IT Approval Num: N  Delivery: 06/30/2015 Accounting Info: 01 Account Assignment: K G/L Account: 6100.252A0				
	Business Area: G000 Commitment Item: 252A00 Cost Center: GGHIEG5000 Functional Area: GE0301000.J80000 Fund: XXXG0804XR Fund Center: GGHIEG5000 Project/WBS: GR.13.EG50.E1CMQ.00 PR Acct Assign Line: 01 Funded: \$0.00				
	Change Item 00150 to read as follows(amount shown is the obligated amount):				
00150	NON-DISASTER FUNDS Geospatial Product and Services (GPSC) New England CMGP SANDY LiDAR				0
	The contractor shall perform this task in accordance with the attached Task Order Detail for New England CMGP SANDY LiDAR Task Order Processing and contractor's proposal dated August 22, 2013.				
	The Period of Performance for this Task Order is from date of Notice to Proceed to June 30, 2015 IT Approval Num: N				
	Delivery: 06/30/2015 Accounting Info: 01 Account Assignment: K G/L Account: 6100.252A0 Business Area: G000 Commitment Item: 252A00 Cost Center: GGHIEG5000 Functional Area: GE0301000.J80000 Fund: XXXG0804XR Fund Center: GGHIEG5000 Project/WBS: GR.13.EG50.E1CMP.00 PR Acct Assign Line: 01 Funded: \$0.00				
	Change Item 00160 to read as follows(amount shown is the obligated amount):				
0160	NON-DISASTER FUNDS Geospatial Product and Services (GPSC) Continued				0

 CONTINUATION SHEET
 REFERENCE NO. OF DOCUMENT BEING CONTINUED G10PC00057/G13PD00796/0001
 PAGE D1
 11
 16

ITEM NO.	SUPPLIES/SERVICES	QUANTITY		UNIT PRICE	AMOUNT
(A)	(B)	(C)	(D)	(E)	(F)
	New England CMGP SANDY LiDAR  The contractor shall perform this task in accordance with the attached Task Order Detail for New England CMGP SANDY LiDAR Task Order Processing and contractor's proposal dated August 22, 2013.  The Period of Performance for this Task Order is from date of Notice to Proceed to June 30, 2015 IT Approval Num: N  Delivery: 06/30/2015 Accounting Info: 01 Account Assignment: K G/L Account: 6100.252A0 Business Area: G000 Commitment Item: 252A00 Cost Center: GGHIEG5000 Functional Area: GE0301000.J80000 Fund: XXXG0804XR Fund Center: GGHIEG5000 Project/WBS: GR.13.EG50.E1CMR.00 PR Acct Assign Line: 01				
0170	Funded: \$0.00  Change Item 00170 to read as follows(amount shown is the obligated amount):  NON-DISASTER FUNDS Geospatial Product and Services (GPSC) New England CMGP SANDY LiDAR				0
	The contractor shall perform this task in accordance with the attached Task Order Detail for New England CMGP SANDY LiDAR Task Order Processing and contractor's proposal dated August 22, 2013.  The Period of Performance for this Task Order is from date of Notice to Proceed to June 30, 2015 IT Approval Num: N				
	Delivery: 06/30/2015 Accounting Info: 01 Account Assignment: K G/L Account: 6100.252A0 Business Area: G000 Commitment Item: 252A00 Cost Center: GGHIEG5000 Functional Area: GE0301000.J80000 Fund: XXXG0804XR Fund Center: GGHIEG5000 Project/WBS: GR.13.EG50.E1CMK.00 PR Acct Assign Line: 01 Funded: \$0.00 Continued				

CONTINUATION SHEET
REFERENCE NO. OF DOCUMENT BEING CONTINUED
G10PC00057/G13PD00796/0001

NAME OF OFFEROR OR CONTRACTOR

ITEM NO.	SUPPLIES/SERVICES	QUANTITY	UNIT	UNIT PRICE	AMOUNT
(A)	(B)	(C)	(D)	(E)	(F)
	Change Item 00180 to read as follows(amount shown is the obligated amount):				
00180	NON-DISASTER FUNDS Geospatial Product and Services (GPSC) New England CMGP SANDY LiDAR				0.0
	The contractor shall perform this task in accordance with the attached Task Order Detail for New England CMGP SANDY LiDAR Task Order Processing and contractor's proposal dated August 22, 2013.				
	The Period of Performance for this Task Order is from date of Notice to Proceed to June 30, 2015 IT Approval Num: N				
	Delivery: 06/30/2015 Accounting Info: 01 Account Assignment: K G/L Account: 6100.252A0 Business Area: G000 Commitment Item: 252A00 Cost Center: GGHIEG5000 Functional Area: GE0301000.J80000 Fund: XXXG0804XR Fund Center: GGHIEG5000 Project/WBS: GR.13.EG50.E1CML.00 PR Acct Assign Line: 01 Funded: \$0.00				
	Change Item 00190 to read as follows(amount shown is the obligated amount):				
00190	NON-DISASTER FUNDS Geospatial Product and Services (GPSC) New England CMGP SANDY LiDAR				0.0
	The contractor shall perform this task in accordance with the attached Task Order Detail for New England CMGP SANDY LiDAR Task Order Processing and contractor's proposal dated August 22, 2013.				
	The Period of Performance for this Task Order is from date of Notice to Proceed to June 30, 2015 IT Approval Num: N				
	Delivery: 06/30/2015 Continued				

PAGE

12

OF

16

 CONTINUATION SHEET
 REFERENCE NO. OF DOCUMENT BEING CONTINUED
 PAGE
 OF

 G10PC00057/G13PD00796/0001
 13
 16

NAME OF OFFEROR OR CONTRACTOR

ITEM NO.	SUPPLIES/SERVICES	QUANTIT	YUNIT	UNIT PRICE	AMOUNT
(A)	(B)	(C)	(D)	(E)	(F)
	Accounting Info: 01 Account Assignment: K G/L Account: 6100.252A0 Business Area: G000 Commitment Item: 252A00 Cost Center: GGHIEG5000 Functional Area: GE0301000.J80000 Fund: 133G0804AR Fund Center: GGHIEG5000 Project/WBS: GR.13.EG50.E1C3Q.00 PR Acct Assign Line: 01 Funded: \$0.00				
	Change Item 00200 to read as follows(amount shown is the obligated amount):				
00200	DISASTER RECOVERY FUNDS Geospatial Product and Services (GPSC) New England CMGP SANDY LiDAR				-10,728.9
	The contractor shall perform this task in accordance with the attached Task Order Detail for New England CMGP SANDY LiDAR Task Order Processing and contractor's proposal dated August 22, 2013.				
	The Period of Performance for this Task Order is from date of Notice to Proceed to June 30, 2015 IT Approval Num: N				
	Delivery: 06/30/2015 Accounting Info: 01 Account Assignment: K G/L Account: 6100.252A0 Business Area: G000 Commitment Item: 252A00 Cost Center: GGHIEG5000 Functional Area: GE0300000.J80000 Fund: 13XG010200 Fund Center: GGHIEG5000 Project/WBS: GX.13.EG50.FB203.00 PR Acct Assign Line: 01 Funded: -\$10,728.93				
	Add Item 00210 as follows:				
00210	NON-DISASTER FUNDS Geospatial Product and Services (GPSC) New England CMGP SANDY LiDAR-Additional Work				2,434.2
	The contractor shall perform this task in accordance with the attached Task Order Detail for New England CMGP SANDY LiDAR Task Order Processing and contractor's proposal dated Continued				

 CONTINUATION SHEET
 REFERENCE NO. OF DOCUMENT BEING CONTINUED
 PAGE
 OF

 G10PC00057/G13PD00796/0001
 14
 16

NAME OF OFFEROR OR CONTRACTOR

WOOLPERT, INC.

ITEM NO.	SUPPLIES/SERVICES (B)	QUANTITY (C)	UNIT (D)	UNIT PRICE (E)	AMOUNT (F)
(21)	November 20, 2013.	(0)		(1)	(1)
	The Period of Performance for this Task Order is from date of Notice to Proceed to June 30, 2015 IT Approval Num: N				
	Delivery: 05/30/2014 Accounting Info: 01 Account Assignment: K G/L Account: 6100.252A0 Business Area: G000 Commitment Item: 252A00 Cost Center: GGHIEG5000 Functional Area: GE0301000.J80000 Fund: XXXG0804XR Fund Center: GGHIEG5000 Project/WBS: GR.14.EG50.E1CMB.00 PR Acct Assign Line: 01 Funded: \$2,434.29				
	Add Item 00220 as follows:				
00220	NON-DISASTER FUNDS Geospatial Product and Services (GPSC) New England CMGP SANDY LiDAR-Additional Work				2,537.14
	The contractor shall perform this task in accordance with the attached Task Order Detail for New England CMGP SANDY LiDAR Task Order Processing and contractor's proposal dated November 20, 2013.				
	The Period of Performance for this Task Order is from date of Notice to Proceed to June 30, 2015 IT Approval Num: N				
	Delivery: 05/30/2014 Accounting Info: 01 Account Assignment: K G/L Account: 6100.252A0 Business Area: G000 Commitment Item: 252A00 Cost Center: GGHIEG5000 Functional Area: GE0301000.J80000 Fund: XXXG0804XR Fund Center: GGHIEG5000 Project/WBS: GR.14.EG50.E1CMC.00 PR Acct Assign Line: 01 Funded: \$2,537.14				
	Add Item 00230 as follows:				
00230	NON-DISASTER FUNDS Geospatial Product and Services (GPSC) Continued				13,165.71

 CONTINUATION SHEET
 REFERENCE NO. OF DOCUMENT BEING CONTINUED
 PAGE
 OF

 g10PC00057/G13PD00796/0001
 15
 16

ITEM NO.	SUPPLIES/SERVICES	QUANTITY		UNIT PRICE	AMOUNT
(A)	(B)	(C)	(D)	(E)	(F)
	New England CMGP SANDY LiDAR-Additional Work  The contractor shall perform this task in accordance with the attached Task Order Detail for New England CMGP SANDY LiDAR Task Order Processing and contractor's proposal dated November 20, 2013.  The Period of Performance for this Task Order is from date of Notice to Proceed to June 30, 2015 IT Approval Num: N  Delivery: 05/30/2014 Accounting Info: 01 Account Assignment: K G/L Account: 6100.252A0 Business Area: G000 Commitment Item: 252A00 Cost Center: GGHIEG5000 Functional Area: GE0301000.J80000 Fund: XXXG0804XR Fund Center: GGHIEG5000 Project/WBS: GR.14.EG50.E1CMD.00 PR				
	Acct Assign Line: 01 Funded: \$13,165.71  Add Item 00240 as follows:				
0240	NON-DISASTER FUNDS				12,514
	Geospatial Product and Services (GPSC) New England CMGP SANDY LiDAR-Additional Work				,
	The contractor shall perform this task in accordance with the attached Task Order Detail for New England CMGP SANDY LiDAR Task Order Processing and contractor's proposal dated November 20, 2013.				
	The Period of Performance for this Task Order is from date of Notice to Proceed to June 30, 2015 IT Approval Num: N				
	Delivery: 05/30/2014 Accounting Info: 01 Account Assignment: K G/L Account: 6100.252A0 Business Area: G000 Commitment Item: 252A00 Cost Center: GGHIEG5000 Functional Area: GE0301000.J80000 Fund: XXXG0804XR Fund Center: GGHIEG5000 Project/WBS: GR.14.EG50.E1CME.00 PR Acct Assign Line: 01 Funded: \$12,514.29				
	Continued				

 CONTINUATION SHEET
 REFERENCE NO. OF DOCUMENT BEING CONTINUED G10PC00057/G13PD00796/0001
 PAGE G10PC00057/G13PD00796/0001
 OF G10PC00057/G13PD00796/0001

TEM NO.	SUPPLIES/SERVICES	QUANTITY	UNIT	UNIT PRICE	AMOUNT
(A)	(B)	(C)	(D)	(E)	(F)
	Add Item 00250 as follows:				
	Add Item 00230 as Idliows.				
0250	NON-DISASTER FUNDS				12,240.
0200	Geospatial Product and Services (GPSC)				12,210.
	New England CMGP SANDY LiDAR-Additional Work				
	The contractor shall perform this task in				
	accordance with the attached Task Order Detail				
	for New England CMGP SANDY LiDAR Task Order				
	Processing and contractor's proposal dated				
	November 20, 2013.				
	The Period of Performance for this Task Order is				
	from date of Notice to Proceed to June 30, 2015				
	IT Approval Num: N				
	Delivery: 05/30/2014				
	Accounting Info:				
	01 Account Assignment: K G/L Account: 6100.252A0 Business Area: G000 Commitment Item: 252A00 Cost				
	Center: GGHIEG5000 Functional Area:				
	GE0301000.J80000 Fund: XXXG0804XR Fund Center:				
	GGHIEG5000 Project/WBS: GR.14.EG50.E1CMF.00 PR				
	Acct Assign Line: 01				
	Funded: \$12,240.00				
	Government POC: Patrick Emmett, 573-308-3587,				
	pemmett@usgs.gov				
	Contract Specialist: Ian T. Williamson,				
	573-308-3838, email iwilliamson@usgs.gov				
		1			

#### **TASK ORDER DETAIL**

**USGS CONTRACT: G10PC00057** 

**CONTRACTOR:** Woolpert

TASK ORDER NUMBER: G13PD00796-MOD1

TASK NAME: New England CMGP SANDY LiDAR (126 sqmi Addition)

The Contractor shall furnish all facilities, labor, materials, and equipment, unless specifically identified otherwise, to provide the mapping services and products in accordance with the specifications, terms, and conditions contained in Contract No. **G10PC00057**, and the following requirements specific to this Task Order, and in accordance with Contractor's proposal dated, November 20, 2013, and in the amount of:

Task Order Fixed Price \$32,162.50

#### SECTION C: DESCRIPTION/SPECIFICATIONS/WORK STATEMENT.

The following **Section C** additional requirements are applicable to this Task Order:

C.1. Statement of Work (SOW): Reference C.1 of the Contract. This task order is for Planning, Acquisition, processing, and derivative products of lidar data to be collected at a nominal pulse spacing (NPS) of 0.7 meters, including overlap. Lidar data, and derivative products produced in compliance with this task order are based on the "U.S. Geological Survey National Geospatial Program Lidar Base Specification Version 1.0", which is incorporated by reference into this task order. This specification may be viewed at <a href="http://pubs.usgs.gov/tm/11b4/">http://pubs.usgs.gov/tm/11b4/</a>. These lidar specifications are required baseline specifications. In addition to the Specification Requirements, this task order shall meet NEEA QL2. For any item which is not specifically addressed, the referenced Specification Version 1 will be the required specification authority.

This task order requests LiDAR surveys be collected over several areas in central to eastern Massachusetts. These areas are in addition to the AOI's in the *New England CMGP SANDY LiDAR* task that Woolpert was awarded on 9/5/2013. These areas represent additional areas that were missed by previous lidar acquisitions. The data is to be acquired and processed under the requirements identified in this task order. The total area of this task is approximately **126 square miles**. This data will assist in the evaluation of storm damage and erosion of the local environment as part of USGS Hurricane Sandy response. This project will require hydro-flattening.

C.1.a. <u>KICK-OFF MEETING:</u> A kick-off meeting shall be held to outline communication procedures that shall be followed for data acquisition with respect to verification of local ground conditions and vegetation requirements. This

Task Name: New England CMGP SANDY LiDAR (126 sqmi addition)

Task Order No. G13PD00796-MOD1

Contract No. G10PC00057

meeting shall be used as a forum to clarify and resolve collection condition issues. Local contact(s) shall be established to provide ground condition updates. The kick-off meeting shall be held no later than **two (2) weeks** after contract award and prior to data acquisition.

- C.1.b. <u>DATA ACQUISITION (COLLECTION):</u> The contractor shall be responsible for acquisition of lidar data of sufficient density and quality to meet the requirements specified in **the referenced Version 1.0 specification.**
- C.1.b.(i) Collection area: The collection area shall be defined as the Defined Project
  Area, buffered by no less than 100-meters. The Project Area is defined in

  "Attachment A Project Description and Diagram" and further delineated
  by the ESRI ArcShape file included as "Attachment B Shape File(s)"
- C.1.b.(ii) **Nominal Pulse Spacing:** Nominal Pulse Spacing (NPS) shall be no greater than 0.7 meters and includes overlap. Assessment to be made against single swath, first return data located within the geometrically usable center portion (typically ~90%) of each swath.
- C.1.b.(iii) **Signal Returns** The laser system shall be configured to collect multiple echoes per pulse, with a minimum of a first return and a last return and at least one additional intermediate return. All returns captured during acquisition shall be delivered. Return number shall be recorded.
- C.1.b.(iv) **GPS Times:** shall be recorded as Adjusted GPS Time, at a precision sufficient to allow unique timestamps for each return. Adjusted GPS Time is defined to be Standard (or satellite) GPS time minus 1\*10<sup>9</sup>. See the LAS Specification for more detail.
- C.1.b.(v) **Signal Strength:** The signal strength (intensity) of each return pulse shall be recorded.
- C.1.b.(vi) Clustering: The spatial distribution of geometrically usable points is expected to be uniform and free from clustering. In order to ensure uniform densities throughout the data set:
- C.1.b.(vi)(a) A regular grid, with cell size equal to the design 2\*NPS will be laid over the data.
- C.1.b.(vi)(b) At least 90% of the cells in the grid shall contain at least 1 lidar point.
- C.1.b.(vi)(c) Clustering will be tested against the 1<sup>st</sup> return only data
- C.1.b.(vi)(d) Acceptable data voids identified elsewhere in this specification are excluded.
- C.1.b.(vii) Control: LIDAR shall be acquired using the following control specifications.

Task Name: New England CMGP SANDY LiDAR (126 sqmi addition) Task Order No. G13PD00796-MOD1

Page 2 of 16

- C.1.b.(vii)(a) **Supplemental Ground Control**: Differentially corrected GPS Ground Control used to supplement the Airborne GPS positional accuracy.
- C.1.b.(vii)(b) **Ground Control Quality Check points**: The Contractor shall collect additional Ground Control Check Points in each project area which shall be delivered in ESRI Arc Shape format and will be used by the Government for validation.
  - (01) A minimum of twenty (20) check points shall be collected uniformly dispersed over the project area in **each** of the land cover classifications in which there is **more than 10% coverage** to verify fundamental, supplemental, and consolidated vertical accuracies.
  - (02) Fundamental vertical accuracy checkpoints should be located only in open terrain, where there is a high probability that the sensor will have detected the ground surface without influence from surrounding vegetation.
  - (03) Checkpoints should be located on flat or uniformly sloping terrain and will be at least five (5) meters away from any breakline where there is a change in slope.
  - (04) The checkpoint accuracy shall satisfy a Local Network accuracy of 5-centimeters at the 95% confidence level.
  - (05) Most common land cover categories are (**but not limited to**):

Bare Earth/Open Terrain
Urban
Tall Weeds/Crops (do not use Low Veg)
Brush lands and Trees (do not use Med Veg)
Forested and Fully Grown (do not use High Veg)

- (06) Check points shall not be incorporated into the contractor's vertical solution.
- C.1.b.(viii) **Vertical Accuracy Requirements:** Lidar collected under this task order shall meet or exceed these vertical accuracies. Assessment procedures shall comply with NDEP guidelines. See C.1.b.(i)(a) below for complete vertical accuracy reporting requirements.

 $RMSE_z = 9.25 \text{ cm}$ 

FVA = 18.13 cm 95% Confidence Level (Required Accuracy)

CVA = 26.9 cm 95<sup>th</sup> Percentile (Required Accuracy) SVA = 26.9 cm 95<sup>th</sup> Percentile (Target Accuracy)

C.1.b.(ix) **Positional Accuracy Validation:** The absolute and relative accuracy of the data, both horizontal and vertical, relative to known control, shall be verified prior to classification and subsequent product development. A detailed report of this validation is a required deliverable

Task Name: New England CMGP SANDY LiDAR (126 sqmi addition) Task Order No. G13PD00796-MOD1

Contract No. **G10PC00057** 

C.1.b.(x)**Relative Accuracy Requirements:** Relative accuracy shall be <= 7-cm RMSE<sub>7</sub> within individual swaths and <=**10-cm** RMSE<sub>7</sub> or within swath overlap (between adjacent swaths) C.1.b.(i) **Acquisition Window:** Acquisition window shall be at a period of annual minimal water level in the fall-winter 2013 leaf off window running through April 15, 2014. C.1.b.(ii) **Swath Length**: Long swaths (those which result in a LAS file larger than 2GB) shall be split into segments. Each segment shall thenceforth be regarded as a unique swath. Other swath segmentation criteria may be acceptable, with prior approval. C.1.b.(iii) Full Swath data shall be delivered Edge data from each swath shall not be trimmed from the delivered data. **Overlap:** Flight line overlap of 10% or greater, as required to ensure there are C.1.b.(iv) no data gaps between the usable portions of the swaths. Collections in high relief terrain are expected to require greater overlap. Any data with gaps between the geometrically usable portions of the swaths will be rejected. **Data Voids:** Data Voids [areas =>  $(4*NPS)^2$ , measured using  $1^{st}$ -returns C.1.b.(v)only] within a single swath are not acceptable, except: C.1.b.(v)(a)where caused by water bodies where caused by areas of low near infra-red (NIR) reflectivity such as C.1.b.(v)(b)asphalt or composition roofing; or where appropriately filled-in by another swath C.1.b.(v)(c)C.1.b.(vi) **Data Acquisition Conditions:** C.1.b.(vi)(a)**Atmospheric**: Cloud and fog-free between the aircraft and ground C.1.b.(vi)(b)**Ground:** Snow free; very light, undrifted snow may be acceptable in special (01)cases, with prior approval. (02)No unusual flooding or inundation, except in cases where the goal of the collection is to map the inundation. C.1.b.(vi)(c)**Vegetation**: Leaf-off is preferred, however: (01)As numerous factors will affect vegetative condition at the time of

any collection, the USGS National Geospatial Program (NGP)

- only requires that penetration to the ground must be adequate to produce an accurate and reliable bare-earth surface suitable for incorporation into the 1/9 (3-meter) NED.
- (02) Collections for specific scientific research projects may be exempted from this requirement, with prior approval.
- C.1.b.(vii) **Time of Day:** Time of day is not of concern.
- C.1.b.(viii) **Tide:** Tidally impacted waters within the AOI are expected to be acquired at Predicted MLW +- 2 hours exclusive of neap tides, unless exempted from this requirement during technical negotiations.
- C.1.b.(ix) **SPECIAL CONDITIONS Coverage:** Due to the coarseness of the shape file and constantly changing conditions of coastal features, the contractor shall use due diligence to collect all offshore features that comprise the project area as described in ¶ C.1, regardless of the extent(s) of the shape file. The contractor shall also ensure that boundaries that generally follow rivers, do not omit sections of the described project area, but extend far enough into the center of the rivers, that all portions of the described project area are collected.
- C.1.c. **DATA PROCESSING AND HANDLING:** The contractor shall be responsible for post processing of lidar data of sufficient density and quality to meet the requirements specified in the *National Geospatial Program Lidar Base*Specification Version 1.0. All processing should be carried out with the understanding that all point deliverables are required to be in fully compliant LAS format, v1.2 or v1.3. Data producers are encouraged to review the LAS specification in detail. Specifications of the LAS data sets will be verified.

#### C.1.c.(i) <u>ACCURACY REPORTING</u>

- C.1.c.(i)(a) **Data Accuracy:** Data collected under this Task Order shall meet the National Standard for Spatial Database Accuracy (NSSDA) accuracy standards. The NSSDA standards specify that vertical accuracy be reported at the 95 percent confidence level for data tested by an independent source of higher accuracy. For example the metadata statement shall read, "Tested \_\_ (meters, feet) vertical accuracy at 95 percent confidence level."
  - (01) Accuracy of the Lidar Point Cloud Data: The Fundamental Vertical Accuracy (FVA) of the Lidar Point Cloud data shall be calculated against TINs derived from the final calibrated and controlled swath data. The required accuracy (ACC<sub>z</sub>) is: 18.13 cm at a 95% confidence level, derived according to NSSDA, i.e., based on RMSE of 9.25 cm in the "open terrain" land cover category. This is a required accuracy.

Task Name: New England CMGP SANDY LiDAR (126 sqmi addition)

Task Order No. G13PD00796-MOD1

Contract No. G10PC00057

- (02) **Accuracy of the Derived DEM:** The accuracy (ACC<sub>Z</sub>) of the derived DEM shall be calculated and reported in three (3) ways:
  - Fundamental Vertical Accuracy (FVA): The required FVA is: 18.13 cm at a 95% confidence level, derived according to NSSDA, i.e., based on RMSE of 9.25 cm in the "open terrain" land cover category. This is a required accuracy.
  - Supplemental Vertical Accuracy (SVA): SVAs shall be reported for each of the land cover classes identified in C.1.b.(vii)(b) above. The target SVA is: 26.9 cm at a 95<sup>th</sup> percentile level, derived according to ASPRS Guidelines, Vertical Accuracy Reporting for LiDAR Data, i.e., based on the 95th percentile error for each required land cover class. These are target accuracies.
  - Consolidated Vertical Accuracy (CVA): The required CVA is: 26.9 cm at a 95<sup>th</sup> percentile level, derived according to ASPRS Guidelines, Vertical Accuracy Reporting for LiDAR Data, i.e., based on the 95th percentile error in <u>all</u> land cover categories combined. This is a required accuracy.

#### C.1.c.(ii) **Hydro Flattening Requirements**:

#### C.1.c.(ii)(a) **Inland Ponds and Lakes**:

- (01) ~2-acre or greater surface area (~350' diameter for a round pond)
- (02) Flat and level water bodies (single elevation for every bank vertex defining a given water body).
- (03) The entire water surface edge must be at or just below the immediately surrounding terrain.
- (04) Long impoundments such as reservoirs, inlets, and fjords, whose water surface elevations drop when moving downstream, should be treated as rivers.

#### C.1.c.(ii)(b) **Inland Streams and Rivers**:

- (01) 100' **nominal** width: This should not unnecessarily break a stream or river into multiple segments. At times it may squeeze slightly below 100' for short segments. Data producers should use their best professional judgment.
- (02) Flat and level bank-to-bank (perpendicular to the apparent flow centerline); gradient to follow the immediately surrounding terrain.
- (03) The entire water surface edge must be at or just below the immediately surrounding terrain.
- (04) Streams should break at road crossings (culvert locations). These road fills should not be removed from DEM. However, streams and rivers should **not** break at bridges. Bridges should be removed from DEM. When the identification of a feature as a bridge or

Task Name: New England CMGP SANDY LiDAR (126 sqmi addition)

Task Order No. **G13PD00796-MOD1** Contract No. **G10PC00057**  culvert cannot be made reliably, the feature should be regarded as a culvert.

#### C.1.c.(ii)(c) **Non-Tidal Boundary Waters**:

- (01) Represented only as an edge or edges within the project area; collection does not include the opposing shore.
- (02) The entire water surface edge must be at or below the immediately surrounding terrain.
- (03) The elevation along the edge or edges should behave consistently throughout the project. May be a single elevation (i.e., lake) or gradient (i.e., river), as appropriate.

#### C.1.c.(ii)(d) **Tidal Waters**:

- (01) Water bodies such as oceans, seas, gulfs, bays, inlets, salt marshes, very large lakes, etc. Includes any significant water body that is affected by tidal variations.
- (02) Tidal variations over the course of a collection, and between different collections, will result in discontinuities along shorelines. This is considered normal and these "anomalies" should be retained. The final DEM should represent as much ground as the collected data permits.
- (03) Variations in water surface elevation resulting in tidal variations during a collection should NOT be removed or adjusted, as this requires either the removal of ground points or the introduction of unmeasured ground into the DEM. The USGS NGP priority is on the ground surface, and accepts the unavoidable irregularities in water surface.
- (04) Scientific research projects in coastal areas often have very specific requirements with regard to how tidal land-water boundaries are to be handled. For such projects, the requirements of the research will take precedence.
- C.1.d. **<u>DELIVERABLE PRODUCTS</u>**: The following deliverable products shall be produced from the lidar produced in C.1.b above.

#### C.1.d.(i) Raw Point Cloud Data:

- C.1.d.(i)(a) Fully compliant LAS v1.2 or v1.3, Point Record Format 1, 3, 4, or 5
- C.1.d.(i)(b) LAS v1.3 deliverables with waveform data are to use external "auxiliary" files with the extension ".wdp" for the storage of waveform packet data. See the LAS v1.3 Specification for additional information.
- C.1.d.(i)(c) Georeference information included in all LAS file headers
- C.1.d.(i)(d) GPS times are to be recorded as Adjusted GPS Time, at a precision sufficient to allow unique timestamps for each return.

Task Name: New England CMGP SANDY LiDAR (126 sqmi addition)

Task Order No. G13PD00796-MOD1

Contract No. G10PC00057

C.1.d.(i)(e)	Intensity values
C.1.d.(i)(f)	Full swaths, all collected points to be delivered.
C.1.d.(i)(g)	1 file per swath, 1 swath per file, file size not to exceed 2GB, as described in Section II, Paragraph 5.
C.1.d.(ii) C.1.d.(ii)(a)	Classified Point Cloud:  Fully compliant LAS v1.2 or v1.3, Point Record Format 1, 3, 4, or 5, including "File Source ID."
C.1.d.(ii)(b)	LAS v1.3 deliverables with waveform data are to use external "auxiliary" files with the extension ".wdp" for the storage of waveform packet data. See the LAS v1.3 Specification for additional information.
C.1.d.(ii)(c)	Georeference information included in LAS header
C.1.d.(ii)(d)	GPS times are to be recorded as Adjusted GPS Time, at a precision sufficient to allow unique timestamps for each return.
C.1.d.(ii)(e)	Intensity values
C.1.d.(ii)(f)	Tiled delivery, without overlap
C.1.d.(ii)(g)	Classification Scheme (minimum):
	<ul> <li>(01) Code 1 – Processed, but unclassified</li> <li>(02) Code 2 – Bare-earth ground</li> <li>(03) Code 7 – Noise (low or high, manually identified, if needed</li> <li>(04) Code 9 – Water</li> <li>(05) Code 10 – Ignored Ground (Breakline Proximity)</li> </ul>
C.1.d.(ii)(h)	Note: Class 7, Noise, is included as a convenience for the data producer. It is not required that all "noise" be assigned to Class 7.
C.1.d.(ii)(i)	Note: Class 10, Ignored Ground, is for points previously classified as bare-earth but whose proximity to a subsequently added breakline requires that it be excluded during Digital Elevation Model (DEM) generation.
C.1.d.(iii) C.1.d.(iii)(a)	Bare Earth Surface (Raster DEM): Cell Size shall be one (1.0) meter, and no less than the design Nominal Pulse Spacing (NPS).
C.1.d.(iii)(b)	Delivery in an industry-standard, GIS-compatible, 32-bit floating point raster format (ERDAS .IMG preferred)

Task Name: New England CMGP SANDY LiDAR (126 sqmi addition) Task Order No. G13PD00796-MOD1 Contract No. G10PC00057

Page 8 of 16

C.1.d.(iii)(c)	Georeference information shall be included in raster file
C.1.d.(iii)(d)	Tiled delivery, without overlap
C.1.d.(iii)(e)	DEM tiles will show no edge artifacts or mismatch
C.1.d.(iii)(f)	Void areas (i.e., areas outside the project boundary but within the tiling scheme) shall be coded using a unique "NODATA" value. This value shall be identified in the appropriate location within the file header.
C.1.d.(iii)(g)	Vertical Accuracy (RMSE <sub>Z</sub> ) of the bare earth surface is to be assessed using the methods described in the FEMA "Guidelines and Specifications for Flood Hazard Mapping Partners, Appendix A", Section A.8.5 paragraph 1, Section A.8.6.1, and Section A.8.6.2 (substituting the contracted vertical accuracy requirements (RMSE <sub>Z</sub> ) for those listed in the FEMA document). All QA/QC analysis materials and results are to be delivered to the USGS.
C.1.d.(iii)(h)	Depressions (sinks), natural or man-made, are not to be filled (as in hydroconditioning and hydro-enforcement).
C.1.d.(iii)(i)	Water Bodies (ponds and lakes), wide streams and rivers ("double-line"), and other non-tidal water bodies as defined in Section III are to be hydroflattened within the DEM. Hydro-flattening shall be applied to all water impoundments, natural or man-made, that are larger than ~2 acre in area (equivalent to a round pond ~350' in diameter), to all streams that are nominally wider than 100', and to all non-tidal boundary waters bordering the project area regardless of size. The methodology used for hydroflattening is at the discretion of the data producer.
C.1.d.(iv)	<b>Control:</b> Control, as defined in C.1.a. above shall be delivered to the Government as specified in C.2. Digital Deliverables.
C.1.d.(v)	<b>LiDAR Intensity Image</b> in grayscale 8-bit GeoTiff format using the same tile structure as the other Lidar deliverables.
C.1.d.(vi)	<b>Breaklines:</b> Hydro Enforced/Flattened breaklines shall be delivered in mutually agreeable format, preferably ESRI Arc Shape format.
C.1.d.(vii)	Metadata: The following requirements for Metadata shall be met:
C.1.d.(vii)(a) C.1.d.(vii)(b)	Collection Report detailing mission planning and flight logs. Survey Report detailing the collection of control and reference points used for calibration and QA/QC.

Task Name: New England CMGP SANDY LiDAR (126 sqmi addition) Task Order No. G13PD00796-MOD1 Contract No. G10PC00057

C.1.d.(vii)(c)	Processing Report detailing calibration, classification, and product generation procedures including methodology used for breakline
C.1.d.(vii)(d)	collection and hydro-flattening.  QA/QC Reports (detailing the analysis, accuracy assessment and
C.1.u.(VII)(u)	validation of:
	(01) The point data (absolute, within swath, and between swath) (02) The bare-earth surface (absolute)
C.1.d.(vii)(e)	(03) Other optional deliverables as appropriate Control and Calibration points: All control and reference points used to calibrate, control, process, and validate the lidar point data or any
C.1.d.(vii)(f)	derivative products are to be delivered.  Geo-referenced, digital spatial representation of the precise extents of each delivered dataset. This should reflect the extents of the actual lidar source or derived product data, exclusive of Triangular Irregular Network (TIN) artifacts or raster NODATA areas. A union of tile boundaries or minimum bounding rectangle is not acceptable. ESRI Polygon shapefile is preferred.
C.1.d.(vii)(g)	Product metadata (FGDC compliant, XML format metadata). One file for each:
	<ul><li>(01) Project</li><li>(02) Lift (note: this one per lift – not one per project)</li></ul>
	(03) Tiled deliverable product group (classified point data, bare-earth DEMs, breaklines, etc.). Metadata files for individual tiles are not required.
C.1.d.(viii)	<b>Project Report:</b> The contractor shall deliver a production report which details:
C.1.d.(viii)(a)	details:  A record of field work procedures.
C.1.d.(viii)(a) C.1.d.(viii)(b)	details:  A record of field work procedures.  Data derivation and adjustments.
C.1.d.(viii)(a) C.1.d.(viii)(b) C.1.d.(viii)(c)	details:  A record of field work procedures.  Data derivation and adjustments.  Quality control procedures and results.
C.1.d.(viii)(a) C.1.d.(viii)(b) C.1.d.(viii)(c) C.1.d.(viii)(d)	details:  A record of field work procedures.  Data derivation and adjustments.  Quality control procedures and results.  Any problems encountered and solutions used in resolving such problems.
C.1.d.(viii)(a) C.1.d.(viii)(b) C.1.d.(viii)(c)	details:  A record of field work procedures.  Data derivation and adjustments.  Quality control procedures and results.  Any problems encountered and solutions used in resolving such problems.  Statistical report summarizing the results of the airborne GPS adjustment
C.1.d.(viii)(a) C.1.d.(viii)(b) C.1.d.(viii)(c) C.1.d.(viii)(d)	details:  A record of field work procedures.  Data derivation and adjustments.  Quality control procedures and results.  Any problems encountered and solutions used in resolving such problems.
C.1.d.(viii)(a) C.1.d.(viii)(b) C.1.d.(viii)(c) C.1.d.(viii)(d) C.1.d.(viii)(e)	A record of field work procedures. Data derivation and adjustments. Quality control procedures and results. Any problems encountered and solutions used in resolving such problems. Statistical report summarizing the results of the airborne GPS adjustment and the overall accuracy of the adjusted IMU data. Production report shall be Microsoft Word, Adobe PDF format or other compatible digital format.  Acquisition Reports: Contractor shall provide regular progress updates to the
C.1.d.(viii)(a) C.1.d.(viii)(b) C.1.d.(viii)(c) C.1.d.(viii)(d) C.1.d.(viii)(e)  C.1.d.(viii)(f)	A record of field work procedures. Data derivation and adjustments. Quality control procedures and results. Any problems encountered and solutions used in resolving such problems. Statistical report summarizing the results of the airborne GPS adjustment and the overall accuracy of the adjusted IMU data. Production report shall be Microsoft Word, Adobe PDF format or other compatible digital format.  Acquisition Reports: Contractor shall provide regular progress updates to the technical point of contact throughout the data acquisition process. Update frequency shall be based upon the collection period, but no less
C.1.d.(viii)(a) C.1.d.(viii)(b) C.1.d.(viii)(c) C.1.d.(viii)(d) C.1.d.(viii)(e)  C.1.d.(viii)(f)  C.1.d.(viii)(f)	A record of field work procedures. Data derivation and adjustments. Quality control procedures and results. Any problems encountered and solutions used in resolving such problems. Statistical report summarizing the results of the airborne GPS adjustment and the overall accuracy of the adjusted IMU data. Production report shall be Microsoft Word, Adobe PDF format or other compatible digital format.  Acquisition Reports: Contractor shall provide regular progress updates to the technical point of contact throughout the data acquisition process. Update frequency shall be based upon the collection period, but no less that once a week. Reports shall be delivered as shapefiles which represent the geographic
C.1.d.(viii)(a) C.1.d.(viii)(b) C.1.d.(viii)(c) C.1.d.(viii)(d) C.1.d.(viii)(e)  C.1.d.(viii)(f)  C.1.d.(ix)	A record of field work procedures. Data derivation and adjustments. Quality control procedures and results. Any problems encountered and solutions used in resolving such problems. Statistical report summarizing the results of the airborne GPS adjustment and the overall accuracy of the adjusted IMU data. Production report shall be Microsoft Word, Adobe PDF format or other compatible digital format.  Acquisition Reports: Contractor shall provide regular progress updates to the technical point of contact throughout the data acquisition process. Update frequency shall be based upon the collection period, but no less that once a week.

Task Name: New England CMGP SANDY LiDAR (126 sqmi addition) Task Order No. G13PD00796-MOD1

Page 10 of 16

five (5) square miles of classified LAS data in each of the primary land cover categories (SVA categories), and corresponding Hydro Flattened Bare Earth DEM's.

#### C.1.e. TILING SCHEME AND DATA FORMAT:

C.1.e.(i) **Tile Coverage:** Tiles which lie completely within the project area shall be complete to the tile edges. Tiles which lie partially outside the project boundary shall be complete to the project boundary with enough overlap beyond the project boundary to ensure that no parts of the project are omitted.

#### C.1.e.(i)(a) Tile Size:

- (01) Tiles shall be 1500 meters x 1500 meters
- (02) Tiled deliverables shall conform to the tiling scheme, without added overlap.
- (03) Tiling scheme will be used for all tiled deliverables.
- (04) Tiled deliverables shall edge-match seamlessly in both the horizontal and vertical.
- C.1.e.(i)(b) **Tile Naming:**

Tiles shall be named according to the US National Grid conventions.

#### C.1.e.(i)(c) **Spatial Reference System**:

- (01) The Spatial Reference System shall be: UTM, NAD83, Meters; NAVD88, Meters, Zone 18.
- C.1.f. **NOTIFICATION:** The Government POC named below shall be notified within 24 hours of the start of acquisition of data. Notification can be made by e-mail and is for information purposes only, not permission to proceed.
- C.1.g. **PERMITS:** The contractor shall be responsible for obtaining all permits which may be required in the performance of this task order, which shall include, but not be limited to any permits for acquisition of data in controlled or restricted airspace, and access to control points on the ground.
- C.1.h. **USE AND DISTRIBUTION RIGHTS:** All deliverable data and documentation shall be free from restrictions regarding use and distribution. Data and documentation provided under this Task Order shall be freely distributable by government agencies.
- C.1.h.(i) **NOTE:** "National Geospatial Program Lidar Base Specification Version 1.0", page 9 "Deliverables", regarding data provider's rights to resell data or

Task Name: New England CMGP SANDY LiDAR (126 sqmi addition)
Task Order No. G13PD00796-MOD1

derivative products as they see fit are specifically exempted from this task order.

- C.1.i. **CERTIFICATIONS:** The contractor shall certify as part of its proposal that the work performed on this task order complies with Section 52.225-05 of the Federal Acquisition Regulations relating to Trade Agreements.
- C.1.j. **THE GOVERNMENT POINT-OF-CONTACT (POC)** FOR THIS TASK ORDER: The Government Point of Contact for this task order and any modifications shall be the POC listed below.

**Address:** USGS/NGTOC **Telephone:**(573) 308-3587

**FAX:**(573)-308-3810

e-mail: pemmett@usgs.gov

**ATTN**: Patrick Emmett, MS 666 1400 Independence Road

Rolla, MO 6540

**Digital Deliverables**: Reference C.1 of the Contract.

- C.2.a. **The Contractor shall deliver one copy** of the Lidar data products and documentation as specified in Section C.1 of this Task Order.
- C.2.b. **Format:** Data shall be delivered in the formats specified in C.1.c above.
- C.2.c. **Delivery Medium:** The digital data shall be delivered on external hard drive, i.e. (firewire, or USB2 Less than USB2 is not acceptable). Files shall be stored into appropriate directories on the drive.
- C.2.d. **Deliverable Validation:** Reference C.1 3.12 of the Contract. The Government may choose to contract with a separate contractor for validation on all submitted deliverables.

#### **SECTION D: - PACKAGING AND MARKING**

D.1. No additional Section D requirements are applicable to this Task Order.

**SECTION E: - INSPECTION AND ACCEPTANCE** - The following Section E additional requirements are applicable to this Task Order:

- E.1. **Inspection Period:** Reference GS0720 of the Contract. The inspection period begins the day after the data has been delivered. All deliverables will be validated within a Sixty (60) calendar-day of the inspection period
- E.2. **Inspection and Acceptance Procedures:** ReferenceE780 of the Contract. The Government will perform a full inspection of all deliverables in accordance with E780 (b) of the Contract.

Task Name: New England CMGP SANDY LiDAR (126 sqmi addition)

Task Order No. G13PD00796-MOD1

Contract No. G10PC00057

C.2.

- E.3. **Nonconforming deliverables:** Nonconforming deliverables returned to contractor for rework shall be delivered in accordance with Contract clause E784 (b).
- **SECTION F: DELIVERIES OR PERFORMANCE** The following Section F additional requirements are applicable to this Task Order:
- F.1. Place of Delivery: Reference GS0904 of the Contract. Contractor shall submit all requested deliverables to the address of the POC, as shown in Section C of this Task Order.
- F.2. **Delivery Schedule:** Reference F981 of the Contract. The Government requires the following delivery schedule:
- *F.2.a.* Lot One (1) Kick-off Meeting: A kick-off meeting will be held to outline communication procedures that will be followed for data acquisition with respect to verification of local ground conditions and vegetation requirements. The kickoff meeting will be held no later than two (2) weeks after task order award and the onset of data acquisition. Woolpert proposes that the kick-off meeting held for the previously awarded new England CMGP Sandy LiDAR task order to be sufficient for the add-on task order. The USGS agrees.
- F.2.b. Lot Two (2) Lidar Data Acquisition Updates: Woolpert will submit regular acquisition updates in the form of shape file(s) which represent the acquired geographic extent. Regular acquisition updates will commence upon data acquisition but not later than November 29, 2013 and will conclude upon acquisition completion. Multiple deliveries of this item will be submitted.
- F.2.c. Lot Three (3) Lidar Data Acquisition: will be completed by April 15, 2014, weather and ground conditions permitting.
- F.2.d. Lot Four (4) Pilot Data delivery consisting of the FVA reporting of the unclassified point cloud data and a minimum of approximately 5 square miles of classified LAS data in each of the primary land cover categories (SVA categories) will be delivered no later than 30 calendar days following completion of the lidar data acquisition, but in no case later than May 15, 2014.
- F.2.e. Lot Five (5) Consisting of all required deliverables (including metadata) of the lidar data and its derived products as specified in the task order, shall be delivered no later than 60 calendar days following Government response to the Pilot Data, but in no case later than October 31, 2014.
- F.2.f. Lot Six (6) One copy of the final accepted lidar data products and documentation will be delivered not later than 30 days following the Government's acceptance of Lot 5, but No later than December 31, 2014.
- F.3. **Progress Reports:** Contractor shall submit a monthly progress report for this task order in accordance with Contract clause GS0921 and GS0931.

Task Name: New England CMGP SANDY LiDAR (126 sqmi addition) Task Order No. G13PD00796-MOD1

#### **SECTION G: - CONTRACT ADMINISTRATION DATA**

G.1. No additional Section G requirements are applicable to this Task Order

<u>SECTION H: - SPECIAL CONTRACT REQUIREMENTS</u> -The following Section H additional requirements are applicable to this Task Order:

- H.1. **Applicable Regulations And Permits -- Aircraft Operations**: Reference H1344 of the contract. The contractor shall be responsible for applying for and obtaining any required permits for access, over-flight, or intrusion into restricted or otherwise limited ground access and/or airspace, which may be included within the requirement of this task order.
- H.2. **Government Furnished Property:** Reference H1480 (Conditions Regarding Use Of GFP) of the contract. No Government furnished property is being supplied with this Task Order.

### **SECTION I:** - CONTRACT CLAUSES

I.1. No additional detail is required for this Task Order.

# **SECTION J: - LIST OF ATTACHMENTS TO THIS TASK ORDER**


J.1. Attachment A - Project Area Description
J.2. Attachment B - Shape files
1 Page
1 Page

Task Name: New England CMGP SANDY LiDAR (126 sqmi addition)
Task Order No. G13PD00796-MOD1

Contract No. **G10PC00057** 

# TASK ORDER Attachment A - New England CMGP SANDY LiDAR (126 sqmi Addition) - Project Description and Diagram

This project adds to the previously awarded *New England CMGP SANDY LiDAR* task and is for high resolution LiDAR covering approximately 126 square miles over several areas ranging from central to eastern Massachusetts, including some coastal.



#### **END "ATTACHMENT A"**

Task Name: New England CMGP SANDY LiDAR (126 sqmi addition)
Task Order No. G13PD00796-MOD1
Contract No. G10PC00057

# TASK ORDER Attachment B - New England CMGP SANDY LiDAR (126 sqmi Addition) - Project Shape Files

# THIS SECTION CONSISTS OF THE FOLLOWING DATA SET(S)

NE\_Sandy\_lidar\_addition.zip

**END "ATTACHMENT B"** 

Task Name: New England CMGP SANDY LiDAR (126 sqmi addition)
Task Order No. G13PD00796-MOD1

Contract No. G10PC00057