


LIDAR Quality Report

from the National Geospatial Technical Operations Center in Support of the 3D Elevation Program

WV_FEMAHQ_B2_2018

2020-09-10



The USGS - National Geospatial Technical Operations Center (NGTOC), Data Operations Branch is responsible for conducting reviews of all enhanced, high-quality resolution elevation data and derived products delivered by a data supplier before it is approved for inclusion in the 3D Elevation Program (3DEP) data holdings. The USGS - NGTOC recognizes the complexity of high quality resolution elevation data collection and processing performed by the data suppliers and has developed this Quality Control (QC) procedure. The goal of this process is to assure elevation data are of sufficient quality for database population and scientific analysis. Concerns regarding the assessment of these data should be directed to the Chief of Data Operations Branch, 1400 Independence Road, Rolla, Missouri 65401.

Project Information

WP Name: WV_FEMAHQ_2018_D18	Work Package ID: 78917	
WU Name: WV_FEMAHQ_B2_2018	Work Unit ID: 78919	
Mechanism: GPSC	Lidar Base Spec: 1.3	
Quality Level: 2	P-Method: 7 - Lidar	
Horizontal EPSG Code: 6350	Vertical EPSG Code: 5703	Geoid Model N/A

The National Map Help Desk Email: tnm_help@usgs.gov

The U.S. Geological Survey evaluates absolute vertical accuracy of the lidar and lidar-derived bare earth digital elevation model (DEM) data at the work package level. Data are produced to meet 9.8 cm absolute vertical accuracy at the 95-percent confidence level in non-vegetated, open terrain. To review vertical accuracy results, please see the work package report

Classified Point Cloud

Based on this review, the USGS-NGTOC ACCEPTS the Classified Point Cloud.

Visual and statistical review is performed on classified .las files to validate adherence to contracted specifications. A comprehensive review is completed to ensure consistency and accuracy across all files, including the spatial reference system. Classification verification is limited to the minimum required by applicable Lidar Base Specification. Classifications beyond the minimum are not verified by USGS. LAS files are evaluated to ensure the public header block, point data records, and variable/extended variable length records are correctly populated. For additional information, please see the work units metadata folder.

Error Type	Subtype	Quantity	Examples
Point Mis-classification	Other	1	Figure 1
	lar Base Specification 1.3 all pc Points designated as overlap h		

Digital Elevation Model (DEM)

Based on this review, the USGS-NGTOC ACCEPTS the Digital Elevation Model (DEM).

Visual review is performed on .tif bare earth rasters at a 1:5,000 or larger viewing scale to validate point cloud geometry, raster processing methodology, point classification, and breaklines. Comprehensive review is completed to ensure consistency and accuracy across all files. For additional information, please see this work units metadata folder.

Breaklines

Based on this review, the USGS-NGTOC **ACCEPTS** the Breaklines.





Breaklines are visually reviewed in conjunction with the bare earth DEM for spatial and geometric accuracy. Breaklines are confirmed to be three dimensional (3D) features and that elevations are at or just below the immediately surrounding terrain. Single- and double-line drainages are reviewed to ensure downstream flow. The USGS recognizes that differences in collection methodology, resampling techniques, and other factors that are unique to proprietary production do occur, and these will result in minor horizontal and vertical differences between breaklines derived on the fly.

Content Standard for Digital Spatial Metadata Based on this review, the USGS-NGTOC **ACCEPTS** the Content Standard for Digital Spatial Metadata.

CSGDM .xml metadata are parsed using the USGS Geospatial Metadata Validation Service and reviewed for accurate information. CSDGM is maintained by the Federal Geographic Data Committee (FGDC).

Contractor-Provided Reports

Based on this review, the USGS-NGTOC **ACCEPTS** the Contractor-Provided Reports.

Reports from the contractor, including calibration, collection, and processing methods, are reviewed for accurate information. For more information, please see the work units metadata.

Contractor-Provided Spatial Metadata

Based on this review, the USGS-NGTOC ACCEPTS the Contractor-Provided Spatial Metadata.

Spatial metadata from the contractor, including raster and vector datasets, are evaluated together with pertinent deliverables for geometric fidelity and attribution accuracy. For more information, please see the work units metadata.



Figure 1

- LAS Layer_1										- 🗆	×
Filter					Synchron	ize Views					2
<all (system<="" points="" th=""><th>n)></th><th>~</th><th></th><th></th><th>Map</th><th>⊠ 3-D</th><th></th><th></th><th></th><th></th><th></th></all>	n)>	~			Map	⊠ 3-D					
					Profile		Preview				
		Point	t Size: L	~ 🗾							
TReturns T Poi	int Sou	rce ID	T Inter	nsity 🍸 El	evation 🕎	Scan Angle	User D	ata 🍸 GPS Time 🦷	Color		
Name	Color	Size	Count	Kaunaiat	Withheld	Synthetic	Overlap	Logia		Filter	
Seattle State	Color	Size	1 Second States and Second	Keypoint	1000-000-000-0	A THE REAL PROPERTY.	and the second second second	Logic		Ooff	
, never classified	-	1	-		Ø Ignore		Set	AND		Filter Only	ly
Inclassified Ground	-	1	475,693 345,371		Ø Ignore	Ø Ignore	Set Set	AND		Settings	
	_	1	345,371	Ø Ignore	Ø Ignore	Ø Ignore	1 <u> </u>			Seturgs	
v Vegetation	-	1		Ø Ignore	Ø Ignore	Ø Ignore	Set	AND		Scan	n
um Vegetation	-	1			Ø Ignore	-	Set	AND		Providence in the second secon	
h Vegetation	-	1	0		Ø Ignore		Set	AND		Random	n
Building		1	0	Ø Ignore	Ø Ignore	Ø Ignore	Set	AND			che De
Point (noise)		1	595	Ø Ignore	Ø Ignore	Ø Ignore	Set Cont	AND		Class Names	Insurance of the second s
d (Model keypoint)		-		Ø Ignore	Ø Ignore		Set	AND		Import	
Water		1		-	Ø Ignore		Set	AND		Import	
Rail		1	0	and the second se	Ø Ignore		Set	AND		Export	
ad Surface		1	0	Ø Ignore	Ø Ignore	Ø Ignore	Set	AND		-	
d (Overlap Points)		1	-		Ø Ignore	Ø Ignore	Set	AND			
Guard (Shield)		1	-	Ø Ignore	Ø Ignore	-	Set	AND			
onductor (Phase)	_	1			Ø Ignore		Set	AND			
mission Tower	_	1	0		1gnore	6 Ignore	Set	AND			~
ructure Connector		1	0	Ø Ignore	Ø Ignore	Ø Ignore	Set	AND			
ridge Deck		1	0	g Ignore	6 Ignore	💋 lgnore	Set	AND		~	



